

Certificate of Compliance

Certificate:

1558590

Master Contract:

166031

Project:

80131126

Date Issued:

01/25/2023

Issued to:

Woertz AG Hofackerstrasse 47 Muttenz 1, Basel-Country 4132

Switzerland

Attention: Laurent Sutter

The products listed below are eligible to bear the CSA Mark shown



Issued by: Jan Holtman Jan Holtman

PRODUCTS

C622801 WIRE CONNECTING DEVICES - Terminal Assemblies

Terminal blocks, for string mounting on a metal groove rail, for stranded and solid insulated conductors, for 600V or less, screwtightening-pressure type

Models	Voltage (V)	Current (A)	Wire Size (AWG)	Group	Torque (N · m)
Cat No. 3450	600	25	22-12	С	0.7

Models	Voltage (V)	Current (A)	Wire Range (AWG)	Group	Torque (N · m)
Cat No. 3452/10	600	55	18-8	С	1.5

Notes:

1. Certified as a component for use only where the suitability of the final combination is determined in the end use.



Certificate: 1558590

Project: 80131126

APPLICABLE REQUIREMENTS

CSA C22.2 No. 158:10 (R2019) - Terminal Blocks

QD 507 Rev 2019-04-30

Master Contract: 166031 Date Issued: 01/25/2023



Certificate: 1558590

Project: 80131126

Master Contract: 166031 Date Issued: 01/25/2023

Notes:

Products certified under Class C622801 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). <u>www.scc.ca</u>





Supplement to Certificate of Compliance

Certificate: 1558590

Master Contract: 166031

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80131126	January 25, 2023	Update to Report 1558590 according to CSA wiring notice 77 (effective date: December 31, 2014) to reflect the latest requirements of new published standard CSA C22.2 No. 158-10.
1558590	June 10, 2004	Report Conversion - Supersedes Report LR 14074-17 and update to Terminal block Cat No 3450 to increase wire size range from Nos 18 to 12 AWG to read Nos 22 to 12 AWG, and to add alternate plastic materials for the body.