



Product data sheet

49462 - Fastening clamp FC 3G2.5 / 4mm² V4A



Cable clamp for screwing on

Characteristics	
Base Unit	Piece
availability	Delivery according to agreement
group	170000
Packaging unit	1
country of origin	CH
Customs tariff number	7222.4090
Weight (g)	3 g
Technical data	
Dimensions length x width x height (mm)	10x45 mm



Product data sheet

49462 - Fastening clamp FC 3G2.5 / 4mm² V4A

Product accessories



Product data sheet

49462 - Fastening clamp FC 3G2.5 / 4mm² V4A

Product systems



LED flat cable light system 2xDC IP 3G2.5 mm² and 3G4 mm² (IP66/68)

Quick connection with 24 Vdc LED, type A/B variety, IP66/68 robustness. Combined with high-quality cables such as halogen-free 3x2.5 mm²



Flat cable system IP 3G2.5 mm² and 3G4 mm² (IP66/68)

This system is used in tunnelling, civil engineering, industrial plants, workshops and joineries, as well as outdoors for events and open airs, due to its high IP protection level and extraordinary flexibility in terms of changeability and expandability.



Flat cable system 3G2.5 mm² and 3G4 mm²

Effortless installation. Limitless flexibility. Discover the versatile system for workshops, commercial spaces and laboratories.

