



49420F - Socket Snap-In BUS CKNX 2P GN



Socket 2-pole, Code KNXcut-out: 17.8x17.8 mm mounting depth: 29 mm adapted sheet thickness: 0.5-2.5 mm

Characteristics	
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718255236
group	170000
Packaging unit	50
country of origin	СН
Customs tariff number	8536.908
Color	black
Connector type	Connection cable socket
Coding plug connection	Code Woertz
Technical data	
Dimensions length x width x height (mm)	23.5x19.5x29.5 mm
Dimensions length x width x height (inch)	0.93x0.77x1.16 inch
Degree of protection	IP20
Number of poles	2 pole





49420F - Socket Snap-In BUS CKNX 2P GN

Connection conductor (mm²)	0.5 mm²
Material	Polyamide
Rated current heavy current part (A)	3 A
Rated voltage heavy current part (V)	50 V
Halogen free	No





49420F - Socket Snap-In BUS CKNX 2P GN

Product accessories





49420F - Socket Snap-In BUS CKNX 2P GN

Product systems



Device plug connection, plugs and sockets to Woertz plug connections

Code 1 Code 2Suitable for luminaire connections matching Woertz flat cable installation.





Plug connections for BUS (Code Woertz, Code KNX, Code 3)

BUS connectors code Woertz, code KNX, code 3.

