



Product data sheet

35330/6BL - Tension clamp terminal DIN35 6mm<sup>2</sup> 88.5x8x35mm blue



Tension clamp terminal DIN35 6mm<sup>2</sup> 88.5x8x35mm blue with 3 connections marking possibility on the side and in the middle with stripes, recessed for cross connection

Characteristics	
Eldas number	158440357
Base Unit	Piece
availability	available from stock
EAN Code	7611718221910
group	165000
Packaging unit	25
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	19 g
Color	blue
Technical data	
Dimensions length x width x height (mm)	88.5x8x35 mm
Dimensions length x width x height (inch)	3.48x0.32x1.38 inch
Cross section (mm <sup>2</sup> )	0,5 - 6 mm <sup>2</sup>
Nominal current (A)	50 A



Product data sheet

35330/6BL - Tension clamp terminal DIN35 6mm² 88.5x8x35mm blue

Rated voltage (V)	600 V
Connection type	Spring clamp
DIN rail type	DIN-35
Number of connection point	3
Number of floor	1
Number of potentials	1
Insulating material	PA66
Nominal Cross-section (mm²)	6 mm²
Stripping length mm (mm)	12 mm

Rating data according to UL 1059

Rated voltage US (V)	300 V
Nominal cross section (AWG)	10 AWG
Cross-section (AWG)	10 - 20 AWG
Stripping length (inch)	0,47 inch



## Product data sheet

35330/6BL - Tension clamp terminal DIN35 6mm<sup>2</sup> 88.5x8x35mm blue

### Product accessories




**80247 - Test plug Ø 2.3mm red, socket 4mm**

connecting cable incl.




**80248 - Test plug Ø 2.3mm black, socket 4mm**

connecting cable incl.



**Bezeichnungskarte\_8x12mm - Designation card 8x12mm**

Various designation plates with different embossing.



**Bezeichnungskarte\_8x9mm - Designation card 8x9mm**

Various designation plates with different embossing.



**35455/09BS - Marking strip 9x240mm**

with 25strips per box



**35341/4 - Partition and end barrier 109.5x39mm**

grey, to spring clamp terminals with 3 and 4 clamps




**35445 - End retainer for Spring clamp terminal DIN35**

of polyamide 66, grey dimensions: 8x45.2x23.5mm to spring clamp terminals 1.5 to 16mm 2



**35425/08 - Cross-junction rack 10pole black**

insulated, to spring clamp terminals 8mm



**35425/06BR - Bridge to cross-junction rack black**


Bridge insulated, suitable for 3542506 and 3542508 to connect 2 connecting racks.  
33.2x6x10.4 mm



## Product data sheet

35330/6BL - Tension clamp terminal DIN35 6mm<sup>2</sup> 88.5x8x35mm blue

### Product systems



#### Tension clamp terminals with three connections DIN 35

Various tension spring terminals with three connections.

