



Product data sheet

49693 - Cable clamp to FK 3G2.5/4 mm²



to screw on

Characteristics	
Eldas number	120008607
Base Unit	Piece
availability	available from stock
EAN Code	7611718236112
group	170000
Packaging unit	100
country of origin	CH
Customs tariff number	392590
Weight (g)	1,2 g
Technical data	
Dimensions length x width x height (mm)	31x10x8 mm
Dimensions length x width x height (inch)	1.22x0.39x0.33 inch



Product data sheet

49693 - Cable clamp to FK 3G2.5/4 mm²

Product accessories



Product data sheet

49693 - Cable clamp to FK 3G2.5/4 mm²

Product systems



LED flat cable light system 2xDC IP 3G2.5 mm² and 3G4 mm² (IP66/68)

Quick connection with 24 Vdc LED, type A/B variety, IP66/68 robustness. Combined with high-quality cables such as halogen-free 3x2.5 mm²



Flat cable system 3G2.5 mm² and 3G4 mm²

Effortless installation. Limitless flexibility. Discover the versatile system for workshops, commercial spaces and laboratories.



Flat cable system IP 3G2.5 mm² and 3G4 mm² (IP66/68)

This system is used in tunnelling, civil engineering, industrial plants, workshops and joineries, as well as outdoors for events and open airs, due to its high IP protection level and extraordinary flexibility in terms of changeability and expandability.



Flat cable system Data 2x1.5 mm²

Compact networking for intelligent building automation. Perfect for KNX, Dali, SMI, LON and more. Space-saving design.

