



Product data sheet

49971 - Supply box FC power 5G10mm² 5P



5x10mm 2 for supply

Characteristics	
Eldas number	150724047
Base Unit	Piece
availability	available from stock
EAN Code	7611718221286
group	170000
Packaging unit	2
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	556 g
Color	black
Technical data	
Box Type	Feeding sockets
Fire load (KWh)	1,2 kWh
Dimensions length x width x height (mm)	160x90x55 mm
Dimensions length x width x height (inch)	6,29x3,54x2,16 inch



Product data sheet

49971 - Supply box FC power 5G10mm² 5P

Degree of protection	IP20
Metal parts	Corrosion protected
Flat cable contacting type	Screw terminals
Number of poles	5 pole
Contacting type	Screw terminal
Connection conductor (mm²)	5x10 mm²
Connecting capacity (mm)	5,2x9 mm
Rated current heavy current part (A)	57(10mm2) A
Rated voltage heavy current part (V)	750 V
Operating Temperature (°C)	-15 to 85 °C
Installation temperature min. (°C)	5 °C
Plastic parts	Halogen-free
Material hood	Polycarbonate, transparent



Product data sheet

49971 - Supply box FC power 5G10mm² 5P

Product accessories



Product data sheet

49971 - Supply box FC power 5G10mm² 5P

Product systems



Flat cable system Power 5G10 mm²

This system is used in hospitals, shopping malls, data centers, for hall lighting, hotels and catering Stetten.

