




















System overview

Combination trunking system KOK 200x120



Combination duct KOK 200x120 mm.





















Components

	<p>59441 - Channel shell FnW KOK 200x120</p> <p>made of sendzimir-galvanized steel sheet 1.5mm with DIN-35 rail with 4xFLF 3/5 and 1xFLF 6/5 pre-punching per meter in the channel tray bottom including connecting material and ground wire color: at choice length: 2000mm</p>	
	<p>53600 - Connecting bride straight</p> <p>for connecting the channel shells</p>	
	<p>53512 - Connector straight for DIN rail</p> <p>for connecting the channel shell for DIN-35 rail</p>	
	<p>53602 - Connecting clamp IG 90° with 6-kt-Schr.</p> <p>for connecting with 90° inside miter of the channel shells</p>	
	<p>53539 - Connector IG 90° for DIN rail</p> <p>for connecting the channel shell for DIN-35 rail with 90° inside miter</p>	
	<p>53601 - Connecting clamp AG 90° with 6-kt-Schr.</p> <p>for connecting with external miter 90° of the channel shells</p>	
	<p>53538 - Connector AG 90° for DIN rail</p> <p>for connecting the channel shell for DIN-35 rail with external miter 90°</p>	
	<p>53604 - Connecting clamp IG 135° with 6-kt-Schr.</p> <p>for connecting with internal miter 135° of the channel shells</p>	



System overview

Combination trunking system KOK 200x120

	53541 - Connector IG 135° for DIN rail for connecting the channel shell for DIN-35 rail with inside miter 135°	
	53603 - Connecting clamp AG 135° with 6-kt-Schr. for connecting with external miter 135° of the channel shells	
	53540 - Connector AG 135° for DIN rail for connecting the channel shell for DIN-35 rail with external miter 135°	
	59443 - Hanging lid chamfer FnW KOK 200x120 made of galvanized steel sheet 1.5mm Color: at choice Length: 1000mm	
	59452 - Suspension lid Radius ws KOK 200x120 made of galvanized sheet steel 1.5mm Color: RAL 9010 Pure white Length: 1000mm	
	59453 - Suspension cover Radius FnW KOK 200x120 made of galvanized steel sheet 1.5mm Color: at choice Length: 1000mm	
	59429 - Hanging lid edge ws KOK 200x120 made of galvanized sheet steel 1.5mm Color: RAL 9010 Pure white Length: 1000mm	
	59430 - Hanging lid edge FnW KOK 200x120 made of galvanized steel sheet 1.5mm Color: at choice Length: 1000mm	
	59449 - End wall l chamfer FnW KOK 200x120 Finish left galvanized steel sheet 1.5mm Color: at choice	
	59451 - End wall r chamfer FnW KOK 200x120 Finish right galvanized steel sheet 1.5mm Color: at choice	



System overview












Combination trunking system KOK 200x120

	59458 - End wall I radius ws KOK 200x120 Version left galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	59459 - End wall I Radius FnW KOK 200x120 Finish left galvanized steel sheet 1.5mm Color: at choice	
	59460 - End wall r radius ws KOK 200x120 Version right galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	59461 - End wall r Radius FnW KOK 200x120 Finish right galvanized steel sheet 1.5mm Color: at choice	
	59435 - End wall I edge ws KOK 200x120 Version left galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	59436 - End wall I edge FnW KOK 200x120 Finish left galvanized steel sheet 1.5mm Color: at choice	
	59437 - End wall r edge ws KOK 200x120 Version right galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	59438 - End wall r edge FnW KOK 200x120 Finish right galvanized steel sheet 1.5mm Color: at choice	
	59447 - Corner piece 90° asn chamfer FnW KOK 200x120 90° outside galvanized sheet steel Color: at choice Leg length: à 300mm	
	59445 - Corner piece 90° inn chamfer FnW KOK 200x120 90° inside galvanized sheet steel Color: at choice Leg length: à 300mm	



System overview

















Combination trunking system KOK 200x120

	<p>59456 - Corner piece 90° asn radius ws KOK 200x120</p> <p>90° outside galvanized sheet steel Color: RAL 9010 Pure white Leg length: à 300mm</p>	
	<p>59457 - Corner piece 90° asn radius FnW KOK 200x120</p> <p>90° outside galvanized sheet steel Color: at choice Leg length: à 300mm</p>	
	<p>59454 - Corner piece 90° inn radius ws KOK 200x120</p> <p>90° inside galvanized sheet steel use as a plinth channel Color: RAL 9010 Pure white Leg length: à 300mm</p>	
	<p>59455 - Corner piece 90° inn radius FnW KOK 200x120</p> <p>90° inside galvanized sheet steel Color: at choice Leg length: à 300mm</p>	
	<p>59433 - Corner piece 90° asn edge ws KOK 200x120</p> <p>90° outside galvanized sheet steel Color: RAL 9010 Pure white Leg length: à 300mm</p>	
	<p>59434 - Corner piece 90° asn edge FnW KOK 200x120</p> <p>90° outside galvanized sheet steel Color: at choice Leg length: à 300mm</p>	
	<p>59431 - Corner piece 90° inn edge ws KOK 200x120</p> <p>90° inside galvanized sheet steel Color: RAL 9010 Pure white Leg length: à 300mm</p>	
	<p>59432 - Corner piece 90° inn edge FnW KOK 200x120</p> <p>90° inside galvanized sheet steel Color: at choice Leg length: à 300mm</p>	



System overview






Combination trunking system KOK 200x120

	<p>57191 - Installation kit DS 2FLF 3/5 empty</p> <p>made of sendzimir-galvanized sheet steel 1.5mm to snap onto DIN-35 rail Color: raw</p> 
	<p>57184 - Installation kit DS 1FLF 6/5 2FLF 3/5 empty</p> <p>made of senzimir galvanized steel sheet 1.5mm to snap onto DIN 35 rail Color: raw</p> 
	<p>57183 - Installation kit DS 1FLF 6/5 empty</p> <p>made of galvanized sheet steel 1.5mm to snap on DIN35 rail Color: RAL 7032 pebble gray</p> 
	<p>57187 - Installation kit DS 1FLF 3/5 empty</p> <p>made of galvanized sheet steel 1.5mm to snap on DIN35 rail color: RAL 7032 pebble gray</p> 
	<p>57192 - Installation kit DS Sts 2x1-2LM empty</p> <p>made of sendzimir galvanized sheet steel for socket alignment in longitudinal direction snaps onto DIN35 rail for the use of two sockets Legrand Mosaic 45x45</p> 
	<p>57190 - Installation kit DS Scs 2x1-2LM empty</p> <p>made of sendzimir-galvanized sheet steel for socket alignment in longitudinal direction snaps onto DIN35 rail for the use of two sockets Legrand Mosaic 45x45 low-current version</p> 
	<p>59513 - Installation kit 6FLF vertical empty</p> <p>for 2xFLF 3/5 and 2xFLF 6/5 made of sendzimir-galvanized sheet steel 1.5mm with 2 clamps to snap onto DIN-35 rail Color: raw</p> 
	<p>59512 - Installation kit 3FLF horizontal empty</p> <p>for 3xFLF 3/5 made of sendzimir-galvanized sheet steel 1.5mm with 2 clamps to snap onto DIN 35 rail Color: raw</p> 



System overview

Combination trunking system KOK 200x120

	53671 - Cable tray 60 made of sendzimir galvanized steel sheet 1mm length: 670mm	
	53670 - Cable tray 80 made of sendzimir galvanized steel sheet length: 670mm	
	51210 - Cable tray PVC to DIN35 rail Hard PVC 2mm Color: gray Length: 1850mm	