




## Product data sheet

30291 - Neutral Disconnecting terminal DIN35 6mm2



Neutral disconnect terminal for busbar connection Safety cover, for busbar 10x3 mm , 4-digit marking option, screw M5

### Characteristics

|                       |                                 |
|-----------------------|---------------------------------|
| Eldas number          | 158135357                       |
| Base Unit             | Piece                           |
| availability          | Delivery according to agreement |
| EAN Code              | 7611718218866                   |
| group                 | 165000                          |
| Packaging unit        | 25                              |
| country of origin     | CH                              |
| Customs tariff number | 8536.9080                       |
| Weight (g)            | 20 g                            |
| Color                 | blue                            |

### Technical data

|                                           |                         |
|-------------------------------------------|-------------------------|
| Dimensions length x width x height (mm)   | 53x8x38.5 mm            |
| Dimensions length x width x height (inch) | 2.09x0.32x1.52 inch     |
| Cross section (mm <sup>2</sup> )          | 2,5 - 6 mm <sup>2</sup> |
| Nominal current (A)                       | 25 A                    |



Product data sheet

30291 - Neutral Disconnecting terminal DIN35 6mm2

|                                         |                |
|-----------------------------------------|----------------|
| Rated voltage (V)                       | 800 V          |
| Connection type                         | Screw terminal |
| DIN rail type                           | DIN-35         |
| Number of connection point              | 1              |
| Number of floor                         | 1              |
| Number of potentials                    | 1              |
| Clamping screw M                        | M3             |
| Insulating material                     | PA66           |
| Nominal Cross-section (mm²)             | 6 mm²          |
| Stripping length mm (mm)                | 14 mm          |
| Head reception room width x height (mm) | 3.6x5 mm       |
| Rating data according to UL 1059        |                |
| Rated voltage US (V)                    | 600 V          |
| Nominal cross section (AWG)             | 10 AWG         |
| Cross-section (AWG)                     | 10 - 20 AWG    |
| Stripping length (inch)                 | 0,55 inch      |



## Product data sheet

30291 - Neutral Disconnecting terminal DIN35 6mm<sup>2</sup>

### Product accessories



#### Bezeichnungskarte\_6x12mm - Designation cards 6x12mm

Various designation labels 6x12mm with different embossing.



#### Bezeichnungskarte\_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



#### Bezeichnungskarte\_6x3mm - Designation card 6x3mm

Various designation plates with different embossing.



#### 30297 - Partition DIN35 blue to 30291

Partition wall suitable for 30291



#### 3418 - Stopper DIN35 height 30mm

Makrolon locking piece



#### 30199 - Stopper DIN35 height 50mm

Aluminum alloy locking piece



#### 3838 - Terminal for busbar 10-16mm<sup>2</sup>

Busbar terminal



#### 3839 - Terminal for busbar 25-35mm<sup>2</sup>

Busbar terminal right CuZn10



#### 3859 - Busbar Cu 10x2mm length 1000mm

to neutral disconnecting terminals and terminals for busbars



#### 3856 - Busbar Cu 10x3mm length 1000mm

to neutral disconnecting terminals and terminals for busbars



#### 81445 - Cover to busbar length 1000mm

Contact protection to busbar



## Product data sheet

30291 - Neutral Disconnecting terminal DIN35 6mm<sup>2</sup>

### Product systems



**Neutral conductor connector/separator DIN35 4mm<sup>2</sup>-16mm<sup>2</sup>**

Various neutral conductor connectors/separators DIN 35.

