



Product data sheet

3468GR - Branching terminal DIN35 70mm2 grey



Branch terminal with thrust piece, threaded pins with hexagon socket, metal parts nickel-plated brass, anti-spread slider for conductors through, 4-digit marking option

Characteristics	
Eldas number	158140937
Base Unit	Piece
availability	available from stock
EAN Code	7611718203008
group	165000
Packaging unit	10
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	200 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	66x28x57 mm
Dimensions length x width x height (inch)	2.60x1.10x2.24 inch
Cross section (mm²)	35 - 70 mm²
Nominal current (A)	192 A



Product data sheet

3468GR - Branching terminal DIN35 70mm2 grey

Rated voltage (V)	800 V
Connection type	Screw terminal
DIN rail type	DIN-35
Number of connection point	2
Number of floor	1
Number of potentials	1
Insulating material	PA66
Nominal Cross-section (mm²)	70 mm²
Stripping length mm (mm)	42 mm
Head reception room width x height (mm)	3x35 / 2x50 / 2x70 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	2 AWG
Cross-section (AWG)	2 - 2 AWG
Stripping length (inch)	1,65 inch



Product data sheet

3468GR - Branching terminal DIN35 70mm² grey

Product accessories



Product data sheet

3468GR - Branching terminal DIN35 70mm2 grey

Product systems



Branch terminals DIN35 2.5mm²-120mm²

Various branch terminals DIN35 2.5mm²-120mm².

