








System overview

Profile rail DIN15



DIN rail DIN15, universal carrier made of a sheet metal profile in electrical engineering for fastening electrical equipment in distribution boxes, control cabinets, junction boxes, etc. Different components (for example relays, impulse switches, timers, circuit breakers, terminal blocks) can be slid onto a carrier rail from the side or plugged on and locked from the front. This standardized method facilitates the assembly of control cabinets and switch boxes, thus reducing labor costs. The different types of rails are in the standard EN 60715.

Components

	<p>2750A - DIN rail DIN15 aluminum 2 m</p> <p>DIN rail DIN15 with 15x5x1.5 mm, made of aluminum alloy, with a 16 mm² copper cross-section according to EN 60715 TH 15, 2 m length</p>	
	<p>2750 - DIN rail DIN15 steel galvanized 2 m</p> <p>DIN15 rail with 15x5.5x1 mm, made of galvanized steel, with a 6 mm² copper cross section, with fixing slots, 2 m length</p>	
	<p>3400A - Combination rail DIN35/DIN15 of aluminum 2 m</p> <p>Combination rail Extrudal-050 DIN35/DIN15, with 35x7.5x3.3 mm, made of aluminum alloy, with a 35 mm² copper cross-section, 2 m length</p>	