


















System overview

Parapet trunking system BRK 4670 182x85



Parapet channel 4670 182x85 mm - With stable anchor rail C30 for fastening with slot nut. - Made of galvanized sheet steel. Openings at the front.























Components

| | |
|--|---|
|  | <p>53333 - Channel shell ws BRK 4670/182x85</p> <p>made of galvanized sheet steel 1mm with anchor rail 29x15x2mm including connecting material and ground wire Color: RAL 9010 Pure white Length: 2000mm</p>  |
|  | <p>53344 - Duct tray FnW BRK 4670/182x85</p> <p>made of galvanized steel sheet with anchor rail 29x15x2mm Color: at choice Length: 2000mm</p>  |
|  | <p>53510 - Connecting link BRK straight connection</p> <p>for BRK 4670, 4671, 4183 and STK 4672</p>  |
|  | <p>53511 - Connector straight BRK/MEK to AS</p> <p>made of galvanized steel for straight connection BRK/MEK 4670 / 4675 with hexagonal slotted screws made of galvanized steel M6x16, spring washers and sliding blocks for insertion in profile rail no. 4383, type C30</p>  |
|  | <p>53531 - Connecting link BRK IG 90°</p> <p>Inside miter 90° for BRK 4670, 4671, 4183</p>  |
|  | <p>53535 - Connector BRK/MEK IG90° to AS</p> <p>made of galvanized steel for inside miter 90° BRK/MEK 4670 / 4675</p>  |
|  | <p>53530 - Connecting link BRK AG90°</p> <p>External miter 90° for BRK 4670, 4671, 4183</p>  |



System overview




















Parapet trunking system BRK 4670 182x85

| | | |
|--|--|---|
|  | 53534 - Connecting piece BRK/MEK AG 90° to AS made of galvanized steel for external miter 90° BRK/MEK 4670 / 4675 |  |
|  | 53533 - Connecting link BRK IG135° Inside miter 135° for BRK 4670, 4671, 4183 |  |
|  | 53537 - Connector BRK /MEK IG135° to AS made of steel electrogalvanized for inside miter 135° BRK 4670 |  |
|  | 53532 - Connecting link BRK AG135° External miter 135° for BRK 4670, 4671, 4183 |  |
|  | 53536 - Connector AG135° BRK to AS made of steel galvanized for external miter 135° BRK 4670 |  |
|  | 53135 - Connecting lug inside BRK 90° flat connection Flat miter inside 90° for BRK 4670, 4671, 4183 and STK 4672 |  |
|  | 53136 - Connecting lug AU BRK 90°-flat-connect. Flat miter outside 90° type B for BRK 4670,4671,4183 and STK 4672 |  |
|  | 53009 - Connector 90° flat connection to anchor channel made of steel galvanized for 90° flat connection BRK 4670 / 4675 |  |
|  | 53242 - Screw cap 144 ws made of galvanized sheet steel 2mm to BRK 4183 / 4670 including 3x mounting bracket 53421 Color: RAL 9010 Pure white Length: 2000mm |  |
|  | 53247 - Screw cap 144 FnW made of galvanized steel sheet 2mm to BRK 4183 / 4670 including 3x mounting bracket 53421 Color: at choice Length: 2000mm |  |
|  | 53421 - Cover mounting bracket 144 to sheet steel screw cap including M6 raised countersunk head screw |  |



System overview

Parapet trunking system BRK 4670 182x85

| | | |
|--|---|---|
|  | 53256 - Plug-in lid 144 ws made of galvanized steel sheet 1mm including 6 pcs. tension springs Color: RAL 9010 Pure white Length: 2000mm Width: 182mm |  |
|  | 53262 - Plug-in cover 144 FnW made of galvanized steel sheet 1mm including 6 pcs tension springs Color: at choice Length: 2000mm Width: 182mm |  |
|  | 53365 - Plug-in lid 144 ws made of galvanized sheet steel 1mm including 4 pcs. tension springs Color: RAL 9010 Pure white Length: 1000mm Width: 182mm |  |
|  | 53370 - Plug-in cover 144 FnW made of galvanized steel sheet 1mm including 4 pcs. tension springs Color: at choice Length: 1000mm Width: 182mm |  |
|  | 54306 - Clamping spring Niro BRK to plug lid |  |
|  | 53438 - End wall ws BRK 4670/182x85 made of galvanized sheet steel 1.5mm to plug-in cover Color: RAL 9010 Pure white |  |
|  | 53439 - End wall FnW BRK 4670/182x85 made of galvanized steel sheet 1.5mm to plug-in cover Color: at choice |  |
|  | 53185 - End wall ws BRK 4671/182x85 made of galvanized sheet steel 1.5mm to plug-in cover Color: RAL 9010 Pure white |  |
|  | 53208 - End wall FnW BRK 4671/182x85 made of galvanized steel sheet 1.5mm to plug-in cover Color: at choice |  |
| | 53747 - Blind cover ws BRK ø 47mm Blind cover Color: RAL 9010 Pure white |  |



System overview

Parapet trunking system BRK 4670 182x85

| | | |
|---|--|---|
| | 53764 - Blind cover ws BRK ø 64mm Blind cover Color: RAL 9010 Pure white |  |
| | 53748 - Blind cover FnW BRK ø 47mm Blind cover color: according to choice |  |
| | 53765 - Blind cover FnW BRK ø 64mm Blind cover color: according to choice |  |
|  | 53674 - Cable duct 55 for anchoring rail for BRK 4670 182x85, 200x115 made of sendzimir-galvanized sheet steel length: 660mm |  |
|  | 53570 - Cable tie plate STK to AS made of sheet steel 1.5mm dimension 170x60x19mm with slot nut and screw to mount on anchor rail 29x15x2mm Color: RAL 7032 pebble gray |  |
|  | 53672 - Cable tray 40 made of sendzimir galvanized steel sheet 1mm length: 670mm |  |
|  | 59014 - Distance compensation plate pack of 100, assorted thicknesses 1, 2, 3, 5 and 10mm |  |
|  | 52046 - Mounting plate with NIS box and sliding block for BRK 4670/182x85 suitable for plug-in cover height: 63.5mm / installation depth: 70mm |  |
|  | 53945 - Mounting plate with NIS box and sliding block for BRK 4670/182x85 suitable for screw cap height: 61.5mm / installation depth: 67mm |  |
|  | 53955 - Mounting plate with NIS box and sliding block for BRK 4670/182x85 suitable for resin lids, BRK 4675/200x88 suitable for screw lids, resin lids and plug-in lids. Height: 59.5mm / installation depth: 65mm |  |
|  | 59016 - Sound barrier Ø 30x300mm Mineral fiber braids wrapped and compacted with crossed wire mesh Packing unit: 15 pcs. |  |