



Product data sheet

35330/6GR - Tension clamp terminal DIN35 6mm² gray



Tension clamp with 3 connections Marking option on the side and in the middle with strip, recessed for cross connection

Characteristics	
Eldas number	158440337
Base Unit	Piece
availability	available from stock
EAN Code	7611718221941
group	165000
Packaging unit	25
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	19 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	88.5x8x35 mm
Dimensions length x width x height (inch)	3.48x0.32x1.38 inch
Cross section (mm ²)	0,5 - 6 mm ²
Nominal current (A)	50 A



Product data sheet

35330/6GR - Tension clamp terminal DIN35 6mm² gray

Rated voltage (V)	600 V
Connection type	Spring clamp
DIN rail type	DIN-35
Number of connection point	3
Number of floor	1
Number of potentials	1
Insulating material	PA66
Nominal Cross-section (mm²)	6 mm²
Stripping length mm (mm)	12 mm
Rating data according to UL 1059	
Rated voltage US (V)	300 V
Nominal cross section (AWG)	10 AWG
Cross-section (AWG)	10 - 20 AWG
Stripping length (inch)	0,47 inch



Product data sheet

35330/6GR - Tension clamp terminal DIN35 6mm² gray

Product accessories




80247 - Test plug Ø 2.3mm red, socket 4mm

connecting cable incl.




80248 - Test plug Ø 2.3mm black, socket 4mm

connecting cable incl.



Bezeichnungskarte_8x12mm - Designation card 8x12mm

Various designation plates with different embossing.



Bezeichnungskarte_8x9mm - Designation card 8x9mm

Various designation plates with different embossing.



35455/09BS - Marking strip 9x240mm

with 25strips per box




35341/4 - Partition and end barrier 109.5x39mm

grey, to spring clamp terminals with 3 and 4 clamps




35445 - End retainer for Spring clamp terminal DIN35

of polyamide 66, grey dimensions: 8x45.2x23.5mm to spring clamp terminals 1.5 to 16mm 2



35425/08 - Cross-junction rack 10pole black

insulated, to spring clamp terminals 8mm



35425/06BR - Bridge to cross-junction rack black


Bridge insulated, suitable for 3542506 and 3542508 to connect 2 connecting racks.
33.2x6x10.4 mm



Product data sheet

35330/6GR - Tension clamp terminal DIN35 6mm² gray

Product systems



Tension clamp terminals with three connections DIN 35

Various tension spring terminals with three connections.

