




Product data sheet

52060 - Installation kit 2x3FLF horizontal empty BAK22



hook-in, to BAK with protective edge 12mm and 22mm  
made of galvanized sheet steel 1.5mm  
including 2 mounting plates  
color: RAL 7032 pebble gray  
equipped with:1 pc. Terminal strip 7x2.5mm <sup>2</sup>  
minimum floor height: BAK12=74mm; BAK22=84mm

Characteristics	
Eldas number	154965037
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718251474
group	282000
Packaging unit	1
country of origin	CH
Customs tariff number	8536.9080
Technical data	
Material	PA 6.6
Smallest connectable section (mm <sup>2</sup> )	0,5 mm <sup>2</sup>
Stripping length mm (mm)	12 mm



## **Product data sheet**

52060 - Installation kit 2x3FLF horizontal empty BAK22

### **Product accessories**



## Product data sheet

52060 - Installation kit 2x3FLF horizontal empty BAK22

### Product systems



#### Floor junction box BAK22 to slab formwork




Plenum box BAK22 for fastening to the slab formwork.

The installation of underfloor ducts requires a minimum height of the concrete overlay (60 mm). If this height is not available, special boxes can be obtained for concreting into the raw slab. After fastening to the formwork, they are connected to each other with underfloor trunking 200 x 40, covered with the temporary protective cover and cast in the concrete up to the top edge.

The installation kit is mounted on the levelable box insert; the opening between the box bottom and the installation plate allows the cable to pass through to the next box. After finished wiring, an aluminum cover with cable trough is attached.

Connection box consisting of:


- Enclosure with adjustable feet, with four side openings 202 x 42 mm and a bottom entry tube M50 with temporary one-way steel cover incl. 4 screws
- Enclosure insert made of aluminum, with frame 278 x 278
- Al cover with edge 22 mm
- 2 cable trays made of polycarbonate crystal clear with transparent filler piece



#### DAK5 278x278 Cr KA




Raised floor system DAK5 278x278 square with installation kit and protective housing



#### DAK22 levelable 271x271 square



Raised floor system DAK22 271x271 square, with levelable covering height



#### Floor junction box BAK22 200x40




Underfloor system with square plenum box and chrome steel and aluminum junction boxes, edge height 22mm for UFK 200x40 underfloor duct.




## Product data sheet

52060 - Installation kit 2x3FLF horizontal empty BAK22




### Floor junction box BAK22 200x50

Underfloor system with square plenum box and chrome steel and aluminum junction boxes, edge height 22mm for UFK 200x50 underfloor duct.




### Floor junction box BAK22 300x40

Underfloor system with square plenum box and chrome steel and aluminum junction boxes, edge height 22mm for UFK 300x40 underfloor duct.




### Floor junction box BAK12 200x30

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 200x30 underfloor duct.




### Floor junction box BAK12 200x40

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 200x40 underfloor duct.




### Floor junction box BAK12 200x50

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 200x50 underfloor duct.




### Floor junction box BAK12 300x30

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 300x30 underfloor duct.



### Floor junction box BAK12 300x40

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 300x40 underfloor duct.



### Floor junction box BAK12 300x50


Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 300x50 underfloor duct.






## Product data sheet

52060 - Installation kit 2x3FLF horizontal empty BAK22




### Floor junction box BAK22 300x50

Underfloor system with square plenum box and chrome steel and aluminum junction boxes, edge height 22mm for UFK 300x50 underfloor duct.




### DAK22 271x271 square

Raised floor system DAK22 271x271 square.



### Floor junction box BAK12 400x30

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 400x30 underfloor duct.



### Floor junction box BAK12 400x50

Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 400x50 underfloor duct.

