
















## System overview

### Floor penetrations



Various floor penetrations for raised floor systems DAK.





















## Components

	<p><b>54200/3BL - Bushings 200 DAK3 AI TSF BL</b></p> <p>Hanging frame for cutout 181x181mm, made of natural anodized aluminum, support thickness 2mm, flattened. Cover 174x174mm, made of sendzimir galvanized steel 3mm, occupiable 3mm, with brush strip black 101x25mm</p>	
	<p><b>54200/5BL - Bushings 200 DAK5 AI TSF BL</b></p> <p>Hanging frame for cutout 181x181mm, made of natural anodized aluminum, support thickness 2mm, flattened. Cover 174x174mm, made of sendzimir galvanized steel 6mm, occupiable 5mm, with brush strip black 101x25mm</p>	
	<p><b>54250/0BL - Bushings 250 DAK0 AI TSF BL</b></p> <p>Hanging frame for cutout 231x231mm made of aluminum natural anodized, support thickness 2mm, flattened. Cover visible 224x224mm, made of aluminum anodized, with brush strip black 101x25mm</p>	
	<p><b>54250/3BL - Bushings DAK22 niv 271x271 AI KM</b></p> <p>Hanging frame for cutout 231x231mm, made of natural anodized aluminum, support thickness 2mm, flattened. Cover 224x224mm, made of sendzimir galvanized steel 3mm, occupiable 3mm, with brush strip black 101x25mm</p>	
	<p><b>54250/5BL - Bushings 250 DAK5 AI TSF BL</b></p> <p>Hanging frame for cutout 231x231mm, made of natural anodized aluminum, support thickness 2mm, flattened. Cover 224x224mm, made of sendzimir galvanized steel 6mm, occupiable 5mm, with brush strip black 101x25mm</p>	
	<p><b>52270 - Floor duct DAK 200x160 TSF Cr BL</b></p> <p>made of chrome steel, with hinged lid and brush strip with bristle length 30mm Dim.: 200x160x1.5mm, lid thickness 4mm</p>	



## System overview















### Floor penetrations

	<b>52170 - Floor duct DAK 170x130 TSF Cr BL</b> with hinged lid made of chrome steel and brush strip with bristle length 25mm for mounting in the center of the plate	
	<b>52271 - Floor duct DAK 200x160 TSF Cr 2BL</b> made of chrome steel, with insert lid and 2 brush strips with bristle length 30mm Dim.: 200x160x1.5mm, lid thickness 4mm	
	<b>52275 - Mounting tray 8FLF empty DAK 200x160</b> to article 52270 and 52271 in PVC grey	
	<b>52245 - Mounting tray 8FLF empty DAK 200x170</b> for article 52640 and 52650 grey PVC	
	<b>52640 - Floor duct DAK 200x170 TSF Al BL</b> Frame and hinged lid made of aluminum colorless anodized with protective flange, for floor covering 5mm ,brush strip with bristle height 25mm .	
	<b>52230 - Floor lead-through round ø 125 DAK BL</b> made of polyamide black with protective flange 3mm flattened with brush strip, for bore ø 111mm	
	<b>52150 - Floor lead-through DAK 100x50 Cr BL</b> Dim.: 100x50x30mm made of chrome steel with brush strip, bristle length 40mm	
	<b>52171 - Floor duct DAK 170x120 TSF Cr BL</b> with chrome steel hinged lid and brush strip with bristle length 25mm for mounting adjacent to wall	
	<b>54150/3BL - Bushings 150 DAK3 Al TSF BL</b> Hanging frame for cutout 131x131mm made of natural anodized aluminum, support thickness 2mm, flattened, cover 124x124mm made of sendzimir galvanized steel 3mm, can be covered 3mm, with brush strip black 101x25mm	
	<b>54200/0BL - Bushings 200 DAK0 Al TSF BL</b> Hanging frame for cutout 181x181mm made of aluminum natural anodized, support thickness 2mm, flattened. Cover visible 174x174mm, made of aluminum anodized, with brush strip black 101x25mm	



## System overview

### Floor penetrations

	<p><b>52232 - Floor lead-through round Ø125 DAK Cr BL</b></p> <p>Made of polyamide black, cover made of chrome steel V2A, 6 mm ground, with brush strip. Black, for bore Ø111 mm.</p>	
	<p><b>52231 - PA blind cover round Ø107 DAK</b></p> <p>for floor duct round Ø125 DAK BL, part no. 52230, made of polyamide black</p>	
	<p><b>56278/5 - Floor bushing 271 DAK/ZUG5 Cr</b></p> <p>Hanging plate for cutout 283x283 made of sendzimir galvanized steel sheet 1.5mm  with frame 278x278x19mm made of chrome steel 3mm  - with lid support rubber 2mm  Lid with edge 271x271x19mm made of chrome steel 3mm  - with wooden lid insert 6mm  - occupiable inside 5mm</p>	
	<p><b>52650 - Cable outlet AI DAK 200x170 TSF BL</b></p> <p>Frame and hinged lid made of aluminum colorless anodized with protective flange,  Lid visible, brush strip with bristle height 25mm</p>	
	<p><b>52955N - Bushings niv 271 DAK22 AI KM</b></p> <p>Hanging plate for cutout 283x283 made of chrome steel 1.5mm  with infinitely adjustable frame 278x278x30mm  - made of aluminum 3mm  - with cover support rubber 2mm  Lid 271x271x25mm made of aluminum 3mm  - Occupiable inside 22mm  - including 2 cable trays  Height adjustment: 0-22mm</p>	
	<p><b>56150/3 - Bushings 150 DAK16 CR KA</b></p> <p>Hanging plate for cutout 155x155mm made of sendzimir galvanized steel 1mm,  with frame 150x150x12mm made of aluminum 2mm, with lid support rubber 3mm. Blind cover 145x145x4mm made of sendzimir-galvanized steel 4mm , can be covered 3mm</p>	
	<p><b>56150/3BL - Bushings 150 DAK3 AI BL</b></p> <p>Hanging plate for cutout 155x155mm made of sendzimir galvanized steel 1mm,  with frame 150x150x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 145x145x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with brush strip black 54x30mm.</p>	



## System overview











### Floor penetrations

	<p><b>56150/3KA - Bushings 150 DAK3 AI KA</b></p> <p>Hanging plate for cutout 155x155mm made of sendzimir galvanized steel 1mm, with frame 150x150x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 145x145x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with chrome steel cable outlet.</p>	
	<p><b>56300/12KM - Floor bushing 300 DAK12 AI KM</b></p> <p>Hanging plate for cutout 305x305 made of sendzimir-galvanized sheet steel 1.5mm with frame 300x300x20mm made of aluminum 3mm, with lid support rubber 2mm Lid with edge 293x293x15mm made of aluminum 3mm</p> <ul style="list-style-type: none"> <li>- Occupiable inside 12mm</li> <li>- Including 2 cable trays</li> </ul>	
	<p><b>56278/5KA - Bushings 271 DAK5 AI KA</b></p> <p>Hanging plate for cutout 283x283 made of sendzimir galvanized steel sheet 1.5mm with frame 278x278x19mm made of chrome steel 3mm</p> <ul style="list-style-type: none"> <li>- with lid support rubber 2mm</li> </ul> <p>Lid with edge 271x271x19mm made of chrome steel 3mm</p> <ul style="list-style-type: none"> <li>- with wooden lid insert 6mm</li> <li>- occupiable inside 5mm</li> <li>- including 2 chrome steel cable exits</li> </ul>	
	<p><b>56200/3BL - Bushings 200 DAK3 AI BL</b></p> <p>Hanging plate for cutout 205x205mm made of sendzimir galvanized steel 1mm, with frame 200x200x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 195x195x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with brush strip black 54x30mm.</p>	
	<p><b>56200/3KA - Bushings 200 DAK3 AI KA</b></p> <p>Hanging plate for cutout 205x205mm made of sendzimir galvanized steel 1mm, with frame 200x200x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 195x195x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with chrome steel cable outlet.</p>	
	<p><b>56200/3 - Bushings 200 DAK3 AI</b></p> <p>Hanging plate for cutout 205x205 made of sendzimir galvanized steel sheet 1mm, with frame 200x200x12mm made of aluminum 2mm, with lid support rubber 3mm. Dummy cover 195x195x4mm made of sendzimir-galvanized steel sheet Occupiable 3mm</p>	



## System overview

### Floor penetrations

	<p><b>56250/3 - Bushings 250 DAK3 AI</b></p> <p>Hanging plate for cutout 255x255mm made of sendzimir galvanized steel 1mm, with frame 250x250x12mm made of aluminum 2mm, with lid support rubber 3mm. Blind cover 245x245x4mm made of sendzimir-galvanized steel 4mm, coverable 3mm</p>	
	<p><b>56250/3BL - Bushings 250 DAK3 AI BL</b></p> <p>Hanging plate for cutout 255x255mm made of sendzimir galvanized steel 1mm, with frame 250x250x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 245x245x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with brush strip black 54x30mm.</p>	
	<p><b>56250/3KA - Bushings 250 DAK3 AI KA</b></p> <p>Hanging plate for cutout 255x255mm made of sendzimir galvanized steel 1mm, with frame 250x250x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 245x245x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with chrome steel cable outlet.</p>	
	<p><b>54150/0BL - Bushings 150 DAK0 AI TSF BL</b></p> <p>Hanging frame for cutout 131x131mm, made of aluminum natural anodized, support thickness 2mm, flattened. Cover visible 124x124mm, made of aluminum anodized, with brush strip black 101x25mm</p>	
	<p><b>54150/5BL - Bushings DAK22 niv 271x271 AI KM</b></p> <p>Hanging frame for cutout 131x131mm made of natural anodized aluminum, support thickness 2mm, flattened, cover 124x124mm made of sendzimir-galvanized steel 6mm, occupiable 5mm, with brush strip black 101x25mm</p>	




Various floor penetrations for raised floor systems DAK.

## Components



## System overview



















### Floor penetrations

	<b>54200/3BL - Bushings 200 DAK3 AI TSF BL</b> Hanging frame for cutout 181x181mm, made of natural anodized aluminum, support thickness 2mm, flattened. Cover 174x174mm, made of sendzimir galvanized steel 3mm, occupiable 3mm, with brush strip black 101x25mm	
	<b>54200/5BL - Bushings 200 DAK5 AI TSF BL</b> Hanging frame for cutout 181x181mm, made of natural anodized aluminum, support thickness 2mm, flattened. Cover 174x174mm, made of sendzimir galvanized steel 6mm, occupiable 5mm, with brush strip black 101x25mm	
	<b>54250/0BL - Bushings 250 DAK0 AI TSF BL</b> Hanging frame for cutout 231x231mm made of aluminum natural anodized, support thickness 2mm, flattened. Cover visible 224x224mm, made of aluminum anodized, with brush strip black 101x25mm	
	<b>54250/3BL - Bushings DAK22 niv 271x271 AI KM</b> Hanging frame for cutout 231x231mm, made of natural anodized aluminum, support thickness 2mm, flattened. Cover 224x224mm, made of sendzimir galvanized steel 3mm, occupiable 3mm, with brush strip black 101x25mm	
	<b>54250/5BL - Bushings 250 DAK5 AI TSF BL</b> Hanging frame for cutout 231x231mm, made of natural anodized aluminum, support thickness 2mm, flattened. Cover 224x224mm, made of sendzimir galvanized steel 6mm, occupiable 5mm, with brush strip black 101x25mm	
	<b>52270 - Floor duct DAK 200x160 TSF Cr BL</b> made of chrome steel, with hinged lid and brush strip with bristle length 30mm Dim.: 200x160x1.5mm, lid thickness 4mm	
	<b>52170 - Floor duct DAK 170x130 TSF Cr BL</b> with hinged lid made of chrome steel and brush strip with bristle length 25mm for mounting in the center of the plate	
	<b>52271 - Floor duct DAK 200x160 TSF Cr 2BL</b> made of chrome steel, with insert lid and 2 brush strips with bristle length 30mm Dim.: 200x160x1.5mm, lid thickness 4mm	
	<b>52275 - Mounting tray 8FLF empty DAK 200x160</b> to article 52270 and 52271 in PVC grey	
	<b>52245 - Mounting tray 8FLF empty DAK 200x170</b> for article 52640 and 52650 grey PVC	



## System overview













### Floor penetrations

	<b>52640 - Floor duct DAK 200x170 TSF AI BL</b> Frame and hinged lid made of aluminum colorless anodized with protective flange, for floor covering 5mm ,brush strip with bristle height 25mm .	
	<b>52230 - Floor lead-through round ø 125 DAK BL</b> made of polyamide black with protective flange 3mm flattened with brush strip, for bore ø 111mm	
	<b>52150 - Floor lead-through DAK 100x50 Cr BL</b> Dim.: 100x50x30mm made of chrome steel with brush strip, bristle length 40mm	
	<b>52171 - Floor duct DAK 170x120 TSF Cr BL</b> with chrome steel hinged lid and brush strip with bristle length 25mm for mounting adjacent to wall	
	<b>54150/3BL - Bushings 150 DAK3 AI TSF BL</b> Hanging frame for cutout 131x131mm made of natural anodized aluminum, support thickness 2mm, flattened, cover 124x124mm made of sendzimir galvanized steel 3mm, can be covered 3mm, with brush strip black 101x25mm	
	<b>54200/0BL - Bushings 200 DAK0 AI TSF BL</b> Hanging frame for cutout 181x181mm made of aluminum natural anodized, support thickness 2mm, flattened. Cover visible 174x174mm, made of aluminum anodized, with brush strip black 101x25mm	
	<b>52232 - Floor lead-through round Ø125 DAK Cr BL</b> Made of polyamide black, cover made of chrome steel V2A, 6 mm ground, with brush strip. Black, for bore Ø111 mm.	
	<b>52231 - PA blind cover round Ø107 DAK</b> for floor duct round Ø125 DAK BL, part no. 52230, made of polyamide black	
	<b>56278/5 - Floor bushing 271 DAK/ZUG5 Cr</b> Hanging plate for cutout 283x283 made of sendzimir galvanized steel sheet 1.5mm with frame 278x278x19mm made of chrome steel 3mm - with lid support rubber 2mm Lid with edge 271x271x19mm made of chrome steel 3mm - with wooden lid insert 6mm - occupiable inside 5mm	



## System overview













### Floor penetrations

	<p><b>52650 - Cable outlet AI DAK 200x170 TSF BL</b></p> <p>Frame and hinged lid made of aluminum colorless anodized with protective flange, Lid visible, brush strip with bristle height 25mm</p>	
	<p><b>52955N - Bushings niv 271 DAK22 AI KM</b></p> <p>Hanging plate for cutout 283x283 made of chrome steel 1.5mm with infinitely adjustable frame 278x278x30mm</p> <ul style="list-style-type: none"> <li>- made of aluminum 3mm</li> <li>- with cover support rubber 2mm</li> </ul> <p>Lid 271x271x25mm made of aluminum 3mm</p> <ul style="list-style-type: none"> <li>- Occupiable inside 22mm</li> <li>- including 2 cable trays</li> </ul> <p>Height adjustment: 0-22mm</p>	
	<p><b>56150/3 - Bushings 150 DAK16 CR KA</b></p> <p>Hanging plate for cutout 155x155mm made of sendzimir galvanized steel 1mm, with frame 150x150x12mm made of aluminum 2mm, with lid support rubber 3mm. Blind cover 145x145x4mm made of sendzimir-galvanized steel 4mm , can be covered 3mm</p>	
	<p><b>56150/3BL - Bushings 150 DAK3 AI BL</b></p> <p>Hanging plate for cutout 155x155mm made of sendzimir galvanized steel 1mm, with frame 150x150x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 145x145x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with brush strip black 54x30mm.</p>	
	<p><b>56150/3KA - Bushings 150 DAK3 AI KA</b></p> <p>Hanging plate for cutout 155x155mm made of sendzimir galvanized steel 1mm, with frame 150x150x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 145x145x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with chrome steel cable outlet.</p>	
	<p><b>56300/12KM - Floor bushing 300 DAK12 AI KM</b></p> <p>Hanging plate for cutout 305x305 made of sendzimir-galvanized sheet steel 1.5mm</p> <p>with frame 300x300x20mm made of aluminum 3mm, with lid support rubber 2mm</p> <p>Lid with edge 293x293x15mm made of aluminum 3mm</p> <ul style="list-style-type: none"> <li>- Occupiable inside 12mm</li> <li>- Including 2 cable trays</li> </ul>	



## System overview






### Floor penetrations

	<p><b>56278/5KA - Bushings 271 DAK5 AI KA</b></p> <p>Hanging plate for cutout 283x283 made of sendzimir galvanized steel sheet 1.5mm  with frame 278x278x19mm made of chrome steel 3mm  - with lid support rubber 2mm  Lid with edge 271x271x19mm made of chrome steel 3mm  - with wooden lid insert 6mm  - occupiable inside 5mm  - including 2 chrome steel cable exits</p>	
	<p><b>56200/3BL - Bushings 200 DAK3 AI BL</b></p> <p>Hanging plate for cutout 205x205mm made of sendzimir galvanized steel 1mm, with frame 200x200x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 195x195x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with brush strip black 54x30mm.</p>	
	<p><b>56200/3KA - Bushings 200 DAK3 AI KA</b></p> <p>Hanging plate for cutout 205x205mm made of sendzimir galvanized steel 1mm, with frame 200x200x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 195x195x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with chrome steel cable outlet.</p>	
	<p><b>56200/3 - Bushings 200 DAK3 AI</b></p> <p>Hanging plate for cutout 205x205 made of sendzimir galvanized steel sheet 1mm, with frame 200x200x12mm made of aluminum 2mm, with lid support rubber 3mm. Dummy cover 195x195x4mm made of sendzimir-galvanized steel sheet Occupiable 3mm</p>	
	<p><b>56250/3 - Bushings 250 DAK3 AI</b></p> <p>Hanging plate for cutout 255x255mm made of sendzimir galvanized steel 1mm, with frame 250x250x12mm made of aluminum 2mm, with lid support rubber 3mm. Blind cover 245x245x4mm made of sendzimir-galvanized steel 4mm, coverable 3mm</p>	
	<p><b>56250/3BL - Bushings 250 DAK3 AI BL</b></p> <p>Hanging plate for cutout 255x255mm made of sendzimir galvanized steel 1mm, with frame 250x250x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 245x245x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with brush strip black 54x30mm.</p>	



System overview

Floor penetrations

	<p><b>56250/3KA - Bushings 250 DAK3 AI KA</b></p> <p>Hanging plate for cutout 255x255mm made of sendzimir galvanized steel 1mm, with frame 250x250x12mm made of aluminum 2mm, with lid support rubber 3mm. Cover 245x245x4mm made of sendzimir-galvanized steel 4mm, can be covered 3mm, with chrome steel cable outlet.</p>	
	<p><b>54150/0BL - Bushings 150 DAK0 AI TSF BL</b></p> <p>Hanging frame for cutout 131x131mm, made of aluminum natural anodized, support thickness 2mm, flattened. Cover visible 124x124mm, made of aluminum anodized, with brush strip black 101x25mm</p>	
	<p><b>54150/5BL - Bushings DAK22 niv 271x271 AI KM</b></p> <p>Hanging frame for cutout 131x131mm made of natural anodized aluminum, support thickness 2mm, flattened, cover 124x124mm made of sendzimir-galvanized steel 6mm, occupiable 5mm, with brush strip black 101x25mm</p>	