




Product data sheet

30902/4V - Earthing terminal DIN15 4mm2



Characteristics	
Eldas number	158310267
Base Unit	Piece
availability	Delivery in 4 weeks
EAN Code	7611718225406
group	165000
Packaging unit	50
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	8 g
Color	green/yellow
Technical data	
Dimensions length x width x height (mm)	34x6x28 mm
Dimensions length x width x height (inch)	1.34x0.24x1.10 inch
Cross section (mm²)	4 mm²
Connection type	Screw terminal



Product data sheet

30902/4V - Earthing terminal DIN15 4mm²

DIN rail type	DIN-15
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	M3
Insulating material	PA66
Nominal Cross-section (mm ²)	4 mm ²
Maximal Short-time withstand current	480 A/1S
Stripping length mm (mm)	10 mm
Head reception room width x height (mm)	3.2x3.9 mm
Rating data according to UL 1059	
Nominal cross section (AWG)	12 AWG
Cross-section (AWG)	12 - 12 AWG
Stripping length (inch)	0,39 inch



Product data sheet


30902/4V - Earthing terminal DIN15 4mm2

Product accessories



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



Bezeichnungskarte_6x3mm - Designation card 6x3mm


Various designation plates with different embossing.



Product data sheet

30902/4V - Earthing terminal DIN15 4mm²

Product systems



Partially connected protective conductor terminals DIN15

Various DIN15 partially interconnected protective conductor terminals.

