




## System overview

Parapet trunking system BRK 4675 250x90



Media channel BRK 4675 250x90 mm

## Components



### 53085 - Plug-type cover Dräger ø60 MEK 4675

for tapping point according to DIN 13260-2, made of aluminum profile 1.7mm,  
bore: ø 60mm  
color: at choice  
length: 120mm



### 53086 - Plug-type cover Dräger ø60 elx MEK 4675

for tapping point according to DIN 13260-2, made of aluminum profile 1.7mm,  
colorless anodized  
Bore: ø 60mm  
Length: 120mm



### 53084 - Plug-type cover Dräger ø60 MEK 4675

for tapping point according to DIN 13260-2, made of aluminum profile 1.7mm,  
bore: ø 60mm  
Color: RAL 9010 Pure white  
Length: 120mm



### 53353 - Terminal block 6mm² L/N/PE

mountable on DIN-35 rail consisting of:  
1 pcs. Branch terminal 6mm² gray 30841GR  
1 pcs. Branch terminal 6mm² blue 30841BL  
1 pc. Branch terminal 6mm² green/yellow 30841E  
including cover and support bolt.



### 53057 - Plug-in cover A150 elx BRK 4675/4775

Made of aluminum profile 1.7mm , colorless anodized  
for EDIZIOdue socket spacing 150mm  
Length: 80mm





## System overview



















### Parapet trunking system BRK 4675 250x90

	<p><b>53055 - Plug-in cover A150 ws BRK 4675/4775</b></p> <p>made of aluminum profile 1.7mm, for EDIZIOdue sockets distance 150mm Color: RAL 9010 Pure white Length: 80mm</p>	
	<p><b>53014 - Connecting set straight BRK/MEK 4675 250x90</b></p> <p>comprising:2 junction elements 52021 4 junction bolts</p>	
	<p><b>53028 - Plug-type cover BRK 4675/250x90 white</b></p> <p>made of aluminum profile 1.7mm, With opening 47x73mm Color: Pure white RAL 9010 Length: 120 mm</p>	
	<p><b>53030 - Plug-type cover elx BRK 4675/250x90</b></p> <p>made of aluminum profile 1.7mm , colorless anodized for FI/LS circuit breaker 4-pole with opening 47X73mm length: 120mm</p>	
	<p><b>53031 - Plug-type cover FI-LS37 BRK 4675/250x90</b></p> <p>made of aluminum profile 1.7mm, With opening 47x37mm for FI/LS circuit breaker 2-pole Color: Pure white RAL 9010 Length: 120 mm</p>	
	<p><b>53032 - Plug-type cover FnW BRK 4675/250x90</b></p> <p>made of aluminum profile 1.7mm, With opening 47x37mm for FI/LS circuit breaker 2-pole Color: at choice Length: 120 mm</p>	
	<p><b>53033 - Plug-type cover elx BRK 4675/250x90</b></p> <p>made of aluminum profile 1.7mm, colorless anodized, With opening 47x37mm for FI/LS circuit breaker 2-pole Length: 120 mm</p>	
	<p><b>53010 - Connection set 90°-FV BRK 4675/</b></p> <p>For flat right-angle connectioncomprising:2 junction pieces 53009 4 junction bolts 90°</p>	
	<p><b>53034 - Fastening plate FI-LS BRK 4675/250x90</b></p> <p>Of galvanized steelWith 2 anchoring studsWith DIN35 rail</p>	



## System overview

















### Parapet trunking system BRK 4675 250x90

	<b>53029 - Plug-type cover BRK 4675/250x90 FnW</b> made of aluminum profile 1.7mm, With opening 47x73mm for FI/LS circuit breaker 4-pole Color: at choice Length: 120 mm	
	<b>59014 - Distance compensation plate</b> pack of 100, assorted thicknesses 1, 2, 3, 5 and 10mm	
	<b>53511 - Connector straight BRK/MEK to AS</b> made of galvanized steel for straight connection BRK/MEK 4670 / 4675 with hexagonal slotted screws made of galvanized steel M6x16, spring washers and sliding blocks for insertion in profile rail no. 4383, type C30	
	<b>53535 - Connector BRK/MEK IG90° to AS</b> made of galvanized steel for inside miter 90° BRK/MEK 4670 / 4675	
	<b>53071 - Connecting bolt set 90° / BRK 4675</b> made of steel galvanically nickel-plated for connecting the channel shells 90° inside and outside miter Dimension: $\varnothing 6 \times 22 \times 22$ mm Set of 4 pcs.	
	<b>53534 - Connecting piece BRK/MEK AG 90° to AS</b> made of galvanized steel for external miter 90° BRK/MEK 4670 / 4675	
	<b>53070 - Connecting bolt set straight / BRK 4675</b> made of steel galvanically nickel-plated for connecting the channel shell profiles Dimension: $\varnothing 6 \times 60$ mm Set of 4 pcs.	
	<b>53009 - Connector 90° flat connection to anchor channel</b> made of steel galvanized for 90° flat connection BRK 4670 / 4675	
	<b>53017 - Plug-in cover elx A100 BRK 4675</b> made of aluminum profile 1.7mm colorless anodized for EDIZIOdue socket spacing 100mm Color: RAL 9010 Pure white Length: 30mm	



## System overview

















### Parapet trunking system BRK 4675 250x90

	<b>52010 - Cable tray PVC BRK 4675</b> made of plastic PVC to hang into the channel shell color: white width: 38mm / length: 1850mm	
	<b>53035 - Mounting plate AS with NIS box H69.5</b> to BRK 4675/...x90Fastening with anchoring studsHeight: 69.5mm	
	<b>53015 - Plug-in lid ws BRK A100 4675</b> made of aluminum profile 1.7mm color: RAL 9010 pure white for EDIZIOdue socket spacing 100mm Color: RAL 9010 pure white Length: 30mm	
	<b>53026 - Plug-in cover FnW BRK A120 4675</b> made of aluminum profile 1.7mm color: RAL 9010 pure white for EDIZIOdue socket spacing 120mm Color: at choice Length: 50mm	
	<b>53025 - Plug-in lid ws BRK A120 4675</b> made of aluminum profile 1.7mm color: RAL 9010 pure white for EDIZIOdue socket spacing 120mm Color: RAL 9010 pure white Length: 50mm	
	<b>53027 - Plug-in cover anodized A120 BRK 4675</b> made of aluminum profile 1.7mm colorless anodized for EDIZIOdue socket spacing 120mm Color: RAL 9010 Pure white Length: 50mm	
	<b>53948 - Snap-on mounting plate with NIS box</b> for BRK 4671/...x79 suitable for screw cap. and BRK 4675/...x90 plug-in cap for JK apparatus Height: 63.5mm / installation depth: 68.5mm	
	<b>53004 - Plug-type cover BRK 4675/4775 FnW</b> made of aluminum profile 1.7mm color: at choice Length: 2000mm	
	<b>53005 - Plug-type cover elx BRK 4675/4775</b> made of aluminum profile 1.7mm , colorless anodized Length: 2000mm	



## System overview

### Parapet trunking system BRK 4675 250x90

	<p><b>53003 - Plug-type cover with BRK 4675/4775</b></p> <p>made of aluminum profile 1.7mm color: RAL 9010 pure white Length: 2000mm</p>	
	<p><b>53000MEK - Duct sheath white MEK 4675/250x90</b></p> <p>Use as a medical supply unit horizontally made of aluminum profile 2.2mm 2 lines in the middle separated at the bottom with 5 pcs. <math>\varnothing</math> 9 holes for gas outlet with combination rails for mounting the installation apparatus including connecting material and ground wire Color: RAL 9010 Pure white Length: 2000mm</p>	
	<p><b>53001MEK - Duct sheath FnW MEK 4675/250x90</b></p> <p>Use as a medical supply unit horizontally made of aluminum profile 2.2mm 2 lines in the middle separated at the bottom with 5 pcs. <math>\varnothing</math> 9 holes for gas outlet with combination rails for mounting the installation apparatus including connecting material and ground wire Color: at choice Length: 2000mm</p>	
	<p><b>53002MEK - Duct sheath elx MEK 4675/250x90</b></p> <p>null</p>	
	<p><b>53019 - Plug-type cover Pangas <math>\varnothing</math>49 MEK 4675</b></p> <p>made of aluminum profile 1.7mm with hole <math>\varnothing</math> 49mm Color: at choice Length: 120mm</p>	
	<p><b>53020 - Plug-type cover Pangas <math>\varnothing</math>49 elx MEK 4675</b></p> <p>made of aluminum profile 1.7mm , colorless anodized with hole <math>\varnothing</math> 49mm Length: 120mm</p>	
	<p><b>53018 - Plug-type cover Pangas <math>\varnothing</math>49 MEK 4675</b></p> <p>made of aluminum profile 1.7mm with hole <math>\varnothing</math> 49mm Color: RAL 9010 Pure white Length: 120mm</p>	
	<p><b>53107 - Plug-type cover 3xDräger <math>\varnothing</math> 62.5 MEK 4675</b></p> <p>made of aluminum profile 1.7mm with 3 holes <math>\varnothing</math> 62.5mm each 120mm for version with rosette milled Color: RAL 9010 pure white Length: 360mm</p>	



## System overview

















### Parapet trunking system BRK 4675 250x90

	<b>53051 - Plug-in cover CEE 16A 3p elx BRK 4675</b> made of aluminum profile 1.7mm, colorless anodized for socket CEE 16A 3P type 63 including extension bolt and fixing material length 150mm	
	<b>53013 - Plug-type cover Dräger ø42.5elx MEK 4675</b> made of aluminum profile 1.7mm , colorless anodized with hole ø 42,5mm Length: 120mm	
	<b>53021 - Plug-type cover 3xDräger BRK 4675/250x90</b> made of aluminum profile 1.7mm with 3 holes ø 42.5mm each 120mm apart Color: RAL 9010 Pure white Length: 360mm	
	<b>53022 - Plug-type cover 3xDräger BRK 4675/250x90</b> made of aluminum profile 1.7mm with 3 holes ø 42.5mm each 120mm apart Color: at choice Length: 360mm	
	<b>53023 - Plug-type cover 3xDräger BRK 4675</b> made of aluminum profile 1.7mm , colorless anodized with 3 holes ø 42.5mm each 120mm apart Length: 360mm	
	<b>53087 - Plug-type cover Dräger ø62.5 MEK 4675</b> made of aluminum profile 1.7mm Hole: ø 62.5mm centered, milled for version with rosette. Color : RAL 9010 Pure white Length: 120mm	
	<b>53089 - Plug-type cover Dräger ø62.5 elxMEK 4675</b> made of aluminum profile 1.7mm , colorless anodized Bore: ø 62.5mm for version with rosette milled Length: 120mm	
	<b>53109 - Plug-type cover 3xDräger ø 62.5 BRK 4675</b> made of aluminum profile 1.7mm, colorless anodized with 3 holes ø 62.5mm each 120mm apart milled for version with rosette Length: 360mm	



## System overview

### Parapet trunking system BRK 4675 250x90

	<p><b>53080 - Rosette milled off</b></p> <p>suitable for tapping point Dräger Carbamed with dust protection for installation in MEV 4675 sided sysmetrically milled to wrench size 80mm 0/-0.3mm</p>	
	<p><b>53108 - Push-in lid 3xDräger ø 62.5 FnW MEK 4675</b></p> <p>made of aluminum profile 1.7mm with 3 holes ø 62.5mm each 120mm for version with rosette milled Color: at choice Length: 360mm</p>	
	<p><b>53053 - Plug-in cover CEE 16A 5p elx BRK 4675</b></p> <p>made of aluminum profile 1.7mm, colorless anodized for socket CEE 16A 5P type 75 including extension bolt and fixing material length 150mm</p>	
	<p><b>53088 - Push-in lid Draeger ø62.5 FnW MEK 4675</b></p> <p>made of aluminum profile 1.7mm bore: ø 62.5mm for version with rosette milled Color : at choice Length: 120mm</p>	
	<p><b>52009 - Mounting plate gas BRK 4675</b></p> <p>for Draeger and Pangas made of galvanized steel Dimension: 100x40x2mm</p>	
	<p><b>53012 - Push-in lid Dräger ø42.5 Color selection MVE 4675</b></p> <p>Plug-in cover Dräger color choice MEK 4675 of aluminum profile 1.7mm with hole ø 42.5mm Color: RAL 9010 pure white Length: 120mm</p>	
	<p><b>53011 - Push-in lid Dräger ø42.5 white MVE 4675</b></p> <p>Plug-in lid Dräger white MVE 4675, made of aluminum profile 1.7mm with hole ø 42.5mm Color: RAL 9010 Pure white Length: 120mm</p>	
	<p><b>53050 - Plug-in cover CEE 16A 3p ws BRK 4675</b></p> <p>made of aluminum profile 1.7mm for socket CEE 16A 3P type 63 including extension bolts and fastening material Color: RAL 9010 Pure white Length 150mm</p>	



## System overview

### Parapet trunking system BRK 4675 250x90

	<p><b>53052 - Plug-in cover CEE 16A 5p ws BRK 4675</b></p> <p>made of aluminum profile 1.7mm for socket CEE 16A 5P type 75 including extension bolts and fastening material Color: RAL 9010 Pure white Length 150mm</p>	
	<p><b>4674 - Mounting plate Dräger</b></p> <p>made of steel galvanized Dimension: 83x50x9mm</p>	
	<p><b>53036 - Mounting plate PanGas BRK 4675</b></p> <p>made of steel galvanized Dimension: 90x40x14mm</p>	
	<p><b>53037 - Mounting plate Dräger MEK 4675/...x90</b></p> <p>for tapping point according to DIN 13260-2, made of steel, galvanized Dimension: 103,5x58x22,5mm Including screws for mounting</p>	
	<p><b>59016 - Sound barrier Ø 30x300mm</b></p> <p>Mineral fiber braids wrapped and compacted with crossed wire meshPacking unit: 15 pcs.</p>	
	<p><b>53008 - End wall BRK elx 4675/250x90</b></p> <p>made of aluminum 1.5mm , colorless anodized with 4 sideways countersunk fixing screws with dowels</p>	
	<p><b>53006 - End wall BRK 4675/250x90 white</b></p> <p>made of aluminum 1.5mm with 4 laterally recessed mounting screws with dowels Color: RAL 9010 Pure White</p>	
	<p><b>53007 - End wall BRK 4675/250x90 FnW</b></p> <p>made of aluminum 1.5mm with 4 sideways countersunk fixing screws with dowels Color: at choice</p>	
	<p><b>53056 - Plug-type cover BRK 4675/4775 FnW</b></p> <p>made of aluminum profile 1.7mm, for EDIZIOdue socket spacing 150mm Color: at choice Length: 80mm</p>	





System overview

Parapet trunking system BRK 4675 250x90

	<p><b>53050/LED - Plug-in cover CEE 16A 3p LED ws BRK 4675</b></p> <p>made of aluminum profile 1.7mm for socket CEE 16A 3P type 63 and punching for LED voltage indicator, including extension bolt and fixing material. Color: RAL 9010 Pure white Length 150mm</p>	
	<p><b>53016 - Plug-in cover FnW A100 BRK 4675</b></p> <p>made of aluminum profile 1.7mm color: color: at choice for EDIZIOdue socket spacing 100mm length: 30mm</p>	