



30903RO - Y terminal block DIN35 2.5mm2 red



Y-series clamp with 3 connections with stainless steel screws, 3-digit marking option on both sides, recessed for cross connections

Characteristics	
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718235412
group	165000
Packaging unit	50
country of origin	СН
Customs tariff number	8536.9080
Weight (g)	9 g
Color	red
Technical data	
Dimensions length x width x height (mm)	52x5x41.6 mm
Dimensions length x width x height (inch)	2.05x0.20x16.38 inch
Cross section (mm²)	0,5 - 2,5 mm²
Nominal current (A)	24 A
Rated voltage (V)	800 V





30903RO - Y terminal block DIN35 2.5mm² red

Connection type	Screw terminal
DIN rail type	DIN-35
Number of connection point	3
Number of floor	1
Number of potentials	1
Clamping screw M	M2.5
Insulating material	PA66
Nominal Cross-section (mm²)	2,5 mm²
Stripping length mm (mm)	9 mm
Head reception room width x height (mm)	2.5x3.2 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	14 AWG
Cross-section (AWG)	14 - 20 AWG
Stripping length (inch)	0,35 inch





30903RO - Y terminal block DIN35 2.5mm² red

Product accessories

Ī	81505 - Cross connection bolt single M2.5 insulated (10.6mm) Cross connection bolt complete with spacer sleeve. 10.6 mm
• •	30408 - Link to cross-connections to terminals 2.5mm 2
	81505/2 - Cross-connection 2-pole to DIN35/32 2.5mm² terminal blocks Insulated cross-connection 2-pole to DIN32/35 terminal blocks including M2.5 screws. Dimension: 9.1x18.8mm.
***	81505/3 - Cross-connection 3-pole to terminal blocks DIN32/35 2.5mm² Insulated cross-connection 3-pole to DIN32/35 terminal blocks including M2 screws. Dimension: 5.14.2x18.8mm.
****	81505/4 - Cross-connection 4-pole to terminal blocks DIN32/35 2.5mm² Insulated cross-connection 4-pole to terminal blocks DIN32/35 2.5mm² including screws M2.5. dimension: 19.3x18.8mm.
*****	81505/5 - Cross-connection 5-pole to DIN32/35 2.5mm² terminal blocks Insulated cross-connections 5-pole to DIN32/35 terminal blocks including M2.5 screws. Dimension: 24.4x18.8mm.
	81505/10 - Cross-connection 10-pole to DIN32/35 2.5mm² terminal blocks Insulated cross-connection 10-pole to terminal blocks DIN32/35 2.5mm² including screws M2.5. dimension: 49.7x18.8mm.
	Bezeichnungskarte_5x5mm - Designation card 5x5mm Various designation plates with different embossing.
	Bezeichnungskarte_5x3mm - Designation card 5x3mm Various designation plates with different embossing.
	Bezeichnungskarte_5x9mm - Designation card 5x9mm Various designation plates with different embossing.
	Bezeichnungskarte_5x12mm - Designation card 5x12mm Various designation plates





30903RO - Y terminal block DIN35 2.5mm² red

	80247 - Test plug Ø 2.3mm red, socket 4mm connecting cable incl.
	80248 - Test plug Ø 2.3mm black, socket 4mm connecting cable incl.
Worlt's 30913	30913 - End barrier DIN35 grey to 30903, 30904 End wall suitable for 30903, 30904
	3418 - Stopper DIN35 height 30mm Makrolon locking piece
	30790 - Cross-junction rack 10pole grey 5mm Cross-connection rake made of nickel-plated brass, for terminal blocks 2.5mm² with 5mm pitch
The state of the s	81401/4 - Cover for 4 terminals yellow with black marking,to series 30150, 30903, 30973, 30860
	81401/5 - Cover for 5 terminals yellow with black marking, to series 30150, 30903, 30973, 30860
The state of the s	81401/6 - Cover for 6 terminals yellow with black marking, to series 30150, 30903, 30973, 30860
	81401/7 - Cover for 7 terminals yellow with black marking, to series 30150, 30903, 30973, 30860
A CONTRACTOR OF THE PARTY OF TH	81401/8 - Cover for 8 terminals yellow with black marking, to series 30150, 30903, 30973, 30860
	81440 - Sealing eyelet Ø 3.2mm Sealing eyes
and a state of the	30421 - Cover strip for double level and terminal blocks 9.5mm, length 280mm Cover strip for double level and terminal blocks DIN32/35 9.5mm, length 280mm





30903RO - Y terminal block DIN35 2.5mm2 red

Product systems



Y terminal blocks DIN 35

Various Y-series terminals DIN35 with 3 connections.

