




System overview

DAK 8845 and 8841 Ø220 round



Raised floor system DAK 8845 and 8841 Ø220 roundfor floor covering 5mm and 8mm

Components

	52552 - Cover cpl DAK 8841/5 ø220 TSK KD Frame and cover made of die-cast aluminum with intermediate ring with protective edge, for floor covering 5mm with cable gland item no. 52573 incl. filling piece 51877	
	52542 - Cover cpl. DAK 8841/5 ø220 TSK KM Frame and cover made of die-cast aluminum with intermediate ring with protective edge, for floor covering 5mm with cable trough item no. 53961	
	52555 - Cover cpl. DAK 8845/5 ø220 TSF KD	
	Frame and cover made of die-cast aluminum with protective flange, for floor covering 5mm with cable gland item no. 52573 incl. filling piece item no. 51877	
	52084 - Cover cpl. DAK 8845/5 ø220 TSF KM	
	Frame and cover made of die-cast aluminum with protective flange, for floor covering 5mm, with 1 cable trough item no. 53961	
	52551 - Al blanking lid DAK 8841/5 8845/5 Ø220	
	Die-cast aluminum cover Ø220 with protective edge for floor covering 5mm	
	52553 - Al cover DAK 8841/5 8845/5 Ø220 KD	
	Die-cast aluminum cover Ø220 with protective edge for floor covering 5mm, for cable gland art. no. 52573	
	52550 - Al cover DAK 8841/5 8845/5 Ø220 KM	
	Die-cast aluminum cover Ø220 with protective edge for floor covering 5mm, for cable tray item no. 53961	

woertz@



System overview

DAK 8845 and 8841 Ø220 round

	52541 - Al frame DAK 8841/5 ø220 TSK	
	made of aluminum ø220 with protective edge edge height 5mm	
	52080 - Al frame DAK 8845/5 ø220 TSF	
\square	made of aluminum with protective flange for floor covering 5mm	
	52852 - Cover cpl DAK 8841/8 Ø220 TSK KD	
	Frame and cover made of die-cast aluminum with protective edge, for floor covering 8mm	
	with cable gland item no. 52573 incl. filler piece 51877	
	52842 - Cover cpl DAK 8841/8 Ø220 TSK KM	
	Frame and cover made of die-cast aluminum with protective edge, for floor covering 8mm	
	with cable trough item no. 52840	
	52855 - Cover cpl DAK 8845/8 Ø220 TSF KD	
	with frame and cover made of die-cast aluminum with protective flange, for floor covering 8mm,	
	with cable gland item no. 52573 incl. filling piece item no. 51877	
	52845 - Cover cpl DAK 8845/8 Ø220 TSF KM	
	Frame and cover made of die-cast aluminum with protective flange, for floor covering 8mm,	
	with cable trough item no. 52840	
	52851 - Al blanking lid DAK 8841/8 8845/8 Ø220	
	Die-cast aluminum cover Ø220 with protective edge for floor covering 8mm	
	52853 - Al cover DAK 8841/8 8845/8 Ø220 KD	
S	Die-cast aluminum cover Ø220 with protective edge for floor covering 8mm, for cable gland art. no. 52573	
	52850 - Al cover DAK 8841/8 8845/8 Ø220 KM	
	Die-cast aluminum cover Ø220 with protective edge for floor covering 8mm, for cable trough art. no. 52840	
	52841 - Al frame DAK 8841/8 Ø220 TSK	
\bigcirc	Frame made of aluminum Ø220 with protective edge edge height 8mm	





System overview

DAK 8845 and 8841 Ø220 round

0	52847 - AI frame DAK 8845/8 Ø220 TSF with frame made of aluminum Ø238 with protective flange edge height 8mm	
	53972 - Installation tray 6FLF horizontal SB DAK made of PVC gray to DAK 8845/8841 Ø220mm floor height: at least 95mm equipped and wired with:1 terminal strip 7x2.5mm ² 3 socket T13 FLF white 3 blind plate FLF white	
	53974 - Installation tray 6FLF horizontal empty DAK made of PVC gray to DAK 8845/8841 Ø220mm bottom height: at least 95mm equipped with 1 terminal strip 7x2.5mm ²	
	52120 - Dust-proof box DAK 8845 With 6 insertion nozzles Bore Ø19	
	52573 - Cable gland rounded DAK to DAK 8841/5 8845/8 and DAK 8857/5 8861/5 made of polycarbonate crystal clear, (without filler) dimension: 86x60x9.5mm	
0	53961 - Cable trough rounded cpl DAK / BAK SK5 made of polycarbonate crystal clear with transparent filling piece, to DAK 8841/5, DAK 8845/5, DAK 8857/5, DAK 8861/5 and BAK	
- Company	52840 - Cable trough rounded cpl DAK SK8 for DAK 8845/8 and DAK 8841/8 made of polycarbonate crystal clear, with transparent filling piece	
	51877 - Filler transp. for cable bushing suitable for cable glands part no. 52573, 51880	