



49345/GA/F/C2 - Plug-in device connection for Woertz Code 2 socket system, 5P Socket



Device connection for Woertz socket system, socket, pastel blue, code 2, 5-pin, lockable. Minimum wall thickness: 0.5 mm, maximum wall thickness: 1.2 mm. Suitable for DALI luminaire connections in combination with Woertz flat cable installation.

Characteristics	
Base Unit	Piece
availability	Delivery in 4 weeks
EAN Code	7611718279157
group	170000
Packaging unit	100
Customs tariff number	8536.908
Color	pastel blue
Connector type	Connection cable socket
Coding plug connection	Code 2
Technical data	
Degree of protection	IP20
Number of poles	5 pole
Material	PA 6.6
Rated voltage heavy current part (V)	250/400 V
Cross section (mm²)	0,5 - 2,5 mm²





49345/GA/F/C2 - Plug-in device connection for Woertz Code 2 socket system, 5P Socket

Copper conductor	Wire KL1 EN60228
Nominal current (A)	20 A





49345/GA/F/C2 - Plug-in device connection for Woertz Code 2 socket system, 5P Socket

**Product accessories** 





49345/GA/F/C2 - Plug-in device connection for Woertz Code 2 socket system, 5P Socket

#### **Product systems**



Plug connections code 2 for light control DALI, 5-pole (LNPE D1, D2)

5 pole connectors code 2 for light control DALI.





Device plug connection, plugs and sockets to Woertz plug connections

Code 1 Code 2Suitable for luminaire connections matching Woertz flat cable installation.



M M/F 5 pole Dali

null

