




Product data sheet

49740F - Socket BUS CKNX 2P GN



Socket 2-pole, Code KNX

Characteristics	
Eldas number	
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718255922
group	170000
Packaging unit	1
country of origin	CH
Customs tariff number	8536.908
Weight (g)	4,02 g
Color	green
Connector type	Connection cable socket
Coding plug connection	Code KNX
Technical data	
Dimensions length x width x height (mm)	47x15.2x14.4 mm
Dimensions length x width x height (inch)	1.85x0.60x0.57 inch



Product data sheet

49740F - Socket BUS CKNX 2P GN

Degree of protection	IP20
Number of poles	2 pole
Connection conductor (mm ²)	6 mm ²
Material	Polyamide
Rated current heavy current part (A)	3 A
Rated voltage heavy current part (V)	50 V
Halogen free	No
International designation	KNX bus HF
Cross section -BUS (mm ²)	0,5 mm ²
BUS-Copper conductor	Copper wire 0.8 mm
BUS-Cores insulation	Polyethylene
BUS-Screen	Aluminum foil
Sheath color	Green
Minimum bending radius	6xD
Operating Temperature (°C)	-25 to 70 °C
Installation temperature min. (°C)	5 °C
Halogen free acc. to	IEC/EN60754-1/2
Minimal smoke emission acc. to	IEC/EN 61034-2



Product data sheet

49740F - Socket BUS CKNX 2P GN

Product accessories



Product data sheet

49740F - Socket BUS CKNX 2P GN

Product systems

	Plug connections for BUS (Code Woertz, Code KNX, Code 3) BUS connectors code Woertz, code KNX, code 3.	
--	---	--