



30111BL - Terminal DIN32 2.5mm2 blue



Terminal blocks with best possible contacting, stainless steel screws and springs, 4-digit marking option on both sides, recessed for cross-connections

| Characteristics                           |                                 |
|---|---------------------------------|
| Eldas number                              | 158690357                       |
| Base Unit                                 | Piece                           |
| availability                              | Delivery according to agreement |
| EAN Code                                  | 7611718200526                   |
| group                                     | 165000                          |
| Packaging unit                            | 50                              |
| country of origin                         | СН                              |
| Customs tariff number                     | 8536.9080                       |
| Weight (g)                                | 10,6 g                          |
| Color                                     | blue                            |
| Technical data                            |                                 |
| Dimensions length x width x height (mm)   | 46x6x41 mm                      |
| Dimensions length x width x height (inch) | 1.81x0.24x1.61 inch             |
| Cross section (mm <sup>2</sup> )          | 0,5 - 2,5 mm²                   |
| Nominal current (A)                       | 24 A                            |





## 30111BL - Terminal DIN32 2.5mm2 blue

| Rated voltage (V)                        | 1000 V              |
|--|---------------------|
| Connection type                          | Screw terminal      |
| DIN rail type                            | DIN-32              |
| Number of connection point               | 2                   |
| Number of floor                          | 1                   |
| Number of potentials                     | 1                   |
| Clamping screw M                         | МЗ                  |
| Insulating material                      | PA66                |
| Nominal Cross-section (mm <sup>2</sup> ) | 2,5 mm <sup>2</sup> |
| Stripping length mm (mm)                 | 10 mm               |
| Head reception room width x height (mm)  | 3.2x4.2 mm          |
| Rating data according to UL 1059         |                     |
| Rated voltage US (V)                     | 600 V               |
| Nominal cross section (AWG)              | 14 AWG              |
| Cross-section (AWG)                      | 14 - 20 AWG         |
| Stripping length (inch)                  | 0,39 inch           |





30111BL - Terminal DIN32 2.5mm2 blue

#### Product accessories

|              | 80247 - Test plug Ø 2.3mm red, socket 4mm connecting cable incl.   |
|--------------|--|
|              | 80248 - Test plug Ø 2.3mm black, socket 4mm connecting cable incl.   |
|              | <b>Bezeichnungskarte_6x12mm - Designation cards 6x12mm</b><br>Various designation labels 6x12mm with different embossing.  |
|              | Bezeichnungskarte_6x9mm - Designation card 6x9mm<br>Various designation plates with different embossing.   |
|              | Bezeichnungskarte_6x3mm - Designation card 6x3mm<br>Various designation plates with different embossing.   |
| <b>F</b>     | <b>3651GR - Partition DIN32 grey to 30111,3301,3302</b><br>for 30111,3301,3302   |
|              | <b>3758 - Stopper DIN32 height 30mm</b><br>from polyamide gray   |
|              | <b>3749 - Stopper DIN32 height 28mm</b><br>of anticorodal  |
| and a second | 81427 - Cover for 4 terminals yellow<br>with black printing, to series 30128   |
| Ļ            | 81440 - Sealing eyelet Ø 3.2mm<br>Sealing eyes   |
| ananan .     | <b>30421 - Cover strip for double level and terminal blocks 9.5mm, length 280mm</b><br>Cover strip for double level and terminal blocks DIN32/35 9.5mm, length 280mm |
| Ī            | 81506 - Cross connection bolt single M3 insulated (10.6 mm)<br>Cross-connection bolt complete with spacer sleeve. Standard version. Dimension: 10.6 mm               |





30111BL - Terminal DIN32 2.5mm2 blue

|     | 81506/10 - Cross-connection 10-pole to terminals DIN32/35 4mm <sup>2</sup><br>Insulated cross-connections 10-pole to terminals DIN32/35 4mm <sup>2</sup> including M3 screws.<br>Standard version. Dimension: 59.9x20.8 mm    |
|-----|---|
| Ħ   | <b>81506/2</b> - Cross-connection 2-pole to terminals DIN32/35 4mm <sup>2</sup><br>Insulated cross-connection 2-pole to terminals DIN32/35 4mm <sup>2</sup> including screws M3.<br>Standard version. Dimension: 11.1x20.8 mm |
|     | <b>81506/3</b> - Cross-connection 3-pole to terminals DIN32/35 4mm <sup>2</sup><br>Insulated cross-connection 3-pole to terminals DIN32/35 4mm <sup>2</sup> including screws M3.<br>Standard version. Dimension: 17.2x20.8 mm |
|     | <b>81506/4</b> - Cross-connection 4-pole to terminals DIN32/35 4mm <sup>2</sup><br>Insulated cross-connection 4-pole to terminals DIN32/35 4mm <sup>2</sup> including screws M3.<br>Standard version. Dimension: 23.3x20.8 mm |
|     | <b>81506/5</b> - Cross-connection 5-pole to terminals DIN32/35 4mm <sup>2</sup><br>Insulated cross-connection 5-pole to terminals DIN32/35 4mm <sup>2</sup> including screws M3.<br>Standard version. Dimension: 29.4x20.8 mm |
| ••• | <b>81410L - Link to cross-connections</b><br>Connecting lug to terminals 4mm <sup>2</sup> . Dimension: 11.1x8 mm  |





30111BL - Terminal DIN32 2.5mm2 blue

### **Product systems**



Terminal blocks DIN32 2.5mm<sup>2</sup>-70mm<sup>2</sup>

Various terminal blocks DIN32 2.5mm<sup>2</sup>-70mm<sup>2</sup>.

