




System overview

Floor junction box BAK12 300x50



Underfloor system with square plenum box and chrome steel/aluminum junction boxes, edge height 12mm for UFK 300x50 underfloor duct.

Components



51693 - Collar 30 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 30/M6x6
Collar height: 30mm



51697 - Collar 70 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 40/M6x6
Collar height: 70mm



51381 - Al lid with rim 271 BAK12/DAK12 KM

made of aluminum 3mm
with edge height 12mm
for cable tray



51382 - Al lid with rim 271 ZUG12

made of aluminum 3mm
edge height 12mm



51391 - Cable trough levelable BAK SK 12-24mm

made of polycarbonate crystal clear,
with transparent filler
fixing bracket made of sendzimir galvanized steel sheet 3mm and screws for
mounting on the frame
adjustable for frame height 12-24mm





System overview

Floor junction box BAK12 300x50

	<p>51363 - Plenum box BAK12 384x384/50 AI KM</p> <p>with frame made of chrome steel V2A 3mm and cover made of aluminum 3mm edge height 12mm with 2 cable troughs, levelable floor height 87-117mm</p>	
	<p>51373 - Draw box BAK12 384x384/50 AI</p> <p>with frame made of chrome steel V2A 3mm and cover made of aluminum 3mm edge height 12mm with 2 cable troughs, levelable floor height 87-117mm</p>	
	<p>52060 - Installation kit 2x3FLF horizontal empty BAK22</p> <p>hook-in, to BAK with protective edge 12mm and 22mm made of galvanized sheet steel 1.5mm including 2 mounting plates color: RAL 7032 pebble gray equipped with: 1 pc. Terminal strip 7x2.5mm² minimum floor height: BAK12=74mm; BAK22=84mm</p>	
	<p>52030 - Installation kit 2x3FLF horizontal SB BAK22</p> <p>hook-in, to BAK with protective edge 12mm and 22mm made of galvanized sheet steel 1.5mm including 2 mounting plates color: RAL 7032 pebble gray equipped, wired and tested: 1 pc. Terminal block 7x2.5mm² 3 pcs. socket FLF 3/5 T13 white 55200 minimum floor height: BAK12=74mm; BAK22=84mm</p>	
	<p>52040 - Installation kit 2x5FLF vertical empty BAK22</p> <p>hook-in, to BAK with protective edge 12mm and 22mm made of galvanized sheet steel 1.5mm including 2 mounting plates color: RAL 7032 pebble gray equipped with: 1 pc. Terminal strip 9x2.5mm² minimum floor height: BAK12=89mm; BAK22=99mm</p>	




System overview

Floor junction box BAK12 300x50




52073 - Installation kit 2x8 module-LM empty BAK22 / DAK22

for modules type Legrand Mosaic
hangable, to BAK with protective edge 12mm and 22mm
including 2 mounting plates
color: RAL 7032 pebble gray
equipped with: 1 pc. Terminal strip 9x2.5mm²
minimum floor height: BAK12=89mm; BAK22=99mm



52050 - Installation kit 2x5FLF vertical SB BAK22

hook-in, to BAK with protective edge 12mm and 22mm
including 2 mounting plates
Color: RAL 7032 pebble gray
equipped, wired and tested: 1 pcs. Terminal strip 9x2.5mm²
5 pcs. socket FLF 3/5 T13 white 55200
Minimum floor height: BAK12=89mm; BAK22=99mm



52058 - Installation kit 2x8 module-BT empty BAK22 / DAK22

for modules type bticino
mountable, to BAK and DAK with protective edge 22mm
including 2 holding plates and 2 mounting plates
color: RAL 7032 pebble gray
equipped with: 1 pc. Terminal strip 9x2.5mm²
minimum floor height: BAK12=89mm; BAK22=99mm



52067 - Lid lifter

to cable traychrome steel 1.5 mm



51694 - Collar 40 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 40/M6x6
Collar height: 40mm



51696 - Collar 60 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 40/M6x6
Collar height: 60mm



51695 - Collar 50 BAK / ZUG

made of sendzimir galvanized sheet steel
Color: Raw
incl. extension bolt 40/M6x6
Collar height: 50mm

