




















System overview

Parapet channel BRK 4675 200x90



Parapet channel 4675 200x90 mm. Often used for the development of MVE 4675.















Components

	53908 - End wall BRK elx 4675/200x90 made of aluminum 1.5mm , colorless anodized with 4 sideways countersunk fixing screws with dowels	
	53900 - Duct sheath white BRK 4675/200x90 null	
	53902 - Duct sheath elx BRK 4675/200x90 null	
	53906 - End wall BRK 4675/200x90 white made of aluminum 1.5mm with 4 laterally recessed mounting screws with dowels Color: RAL 9010 Pure White	
	53907 - End wall FnW BRK 4675/200x90 made of aluminum 1.5mm with 4 sideways countersunk fixing screws with dowels Color: at choice	
	53053 - Plug-in cover CEE 16A 5p elx BRK 4675 made of aluminum profile 1.7mm, colorless anodized for socket CEE 16A 5P type 75 including extension bolt and fixing material length 150mm	
	59014 - Distance compensation plate pack of 100, assorted thicknesses 1, 2, 3, 5 and 10mm	
	53534 - Connecting piece BRK/MEK AG 90° to AS made of galvanized steel for external miter 90° BRK/MEK 4670 / 4675	



System overview





Parapet channel BRK 4675 200x90

	53004 - Plug-type cover BRK 4675/4775 FnW made of aluminum profile 1.7mm color: at choice Length: 2000mm	
	53005 - Plug-type cover elx BRK 4675/4775 made of aluminum profile 1.7mm , colorless anodized Length: 2000mm	
	53016 - Plug-in cover FnW A100 BRK 4675 made of aluminum profile 1.7mm color: color: at choice for EDIZIOdue socket spacing 100mm length: 30mm	
	53026 - Plug-in cover FnW BRK A120 4675 made of aluminum profile 1.7mm color: RAL 9010 pure white for EDIZIOdue socket spacing 120mm Color: at choice Length: 50mm	
	53027 - Plug-in cover anodized A120 BRK 4675 made of aluminum profile 1.7mm colorless anodized for EDIZIOdue socket spacing 120mm Color: RAL 9010 Pure white Length: 50mm	
	53017 - Plug-in cover elx A100 BRK 4675 made of aluminum profile 1.7mm colorless anodized for EDIZIOdue socket spacing 100mm Color: RAL 9010 Pure white Length: 30mm	
	53056 - Plug-type cover BRK 4675/4775 FnW made of aluminum profile 1.7mm, for EDIZIOdue socket spacing 150mm Color: at choice Length: 80mm	
	53025 - Plug-in lid ws BRK A120 4675 made of aluminum profile 1.7mm color: RAL 9010 pure white for EDIZIOdue socket spacing 120mm Color: RAL 9010 pure white Length: 50mm	



System overview

















Parapet channel BRK 4675 200x90

	53057 - Plug-in cover A150 elx BRK 4675/4775	
	Made of aluminum profile 1.7mm , colorless anodized for EDIZIOdue socket spacing 150mm Length: 80mm	
	53055 - Plug-in cover A150 ws BRK 4675/4775	
	made of aluminum profile 1.7mm, for EDIZIOdue sockets distance 150mm Color: RAL 9010 Pure white Length: 80mm	
	53050/LED - Plug-in cover CEE 16A 3p LED ws BRK 4675	
	made of aluminum profile 1.7mm for socket CEE 16A 3P type 63 and punching for LED voltage indicator, including extension bolt and fixing material. Color: RAL 9010 Pure white Length 150mm	
	53052 - Plug-in cover CEE 16A 5p ws BRK 4675	
	made of aluminum profile 1.7mm for socket CEE 16A 5P type 75 including extension bolts and fastening material Color: RAL 9010 Pure white Length 150mm	
	53003 - Plug-type cover withe BRK 4675/4775	
	made of aluminum profile 1.7mm color: RAL 9010 pure white Length: 2000mm	
	53050 - Plug-in cover CEE 16A 3p ws BRK 4675	
	made of aluminum profile 1.7mm for socket CEE 16A 3P type 63 including extension bolts and fastening material Color: RAL 9010 Pure white Length 150mm	
	53901 - Channel shell FnW BRK 4675/200x90	
	made of aluminum profile 2.2mm with combination rail for mounting the installation apparatus including connecting material and ground wire Color: at choice Length: 2000mm	
	53070 - Connecting bolt set straight / BRK 4675	
	made of steel galvanically nickel-plated for connecting the channel shell profiles Dimension: ø 6x60mm Set of 4 pcs.	



System overview



Parapet channel BRK 4675 200x90

	<p>53714 - Connecting set straight BRK/MEK 4675</p> <p>consisting of: 1 pc. Connecting piece straight BRK/MEK to AS made of steel galvanized for straight connection 4 pcs. Connecting bolt straight / BRK/MEK 4675 made of steel galvanized nickel-plated for connecting the channel shell profiles. Dimension: \varnothing 6x60mm</p>	
	<p>53710 - Connection kit FV90° BRK/MEK 4675</p> <p>for 90° flat connection consisting of: 1 pc. Connecting piece BRK/MEK FV90° to AS made of steel galvanized 4 pcs. Connecting bolt 90° / BRK/MEK 4675 made of steel galvanized nickel-plated for connecting the channel shell profiles with miter cut 45°. Dimension: \varnothing6x22x22mm</p>	
	<p>53015 - Plug-in lid ws BRK A100 4675</p> <p>made of aluminum profile 1.7mm color: RAL 9010 pure white for EDIZIOdue socket spacing 100mm Color: RAL 9010 pure white Length: 30mm</p>	
	<p>53511 - Connector straight BRK/MEK to AS</p> <p>made of galvanized steel for straight connection BRK/MEK 4670 / 4675 with hexagonal slotted screws made of galvanized steel M6x16, spring washers and sliding blocks for insertion in profile rail no. 4383, type C30</p>	
	<p>53071 - Connecting bolt set 90° / BRK 4675</p> <p>made of steel galvanically nickel-plated for connecting the channel shells 90° inside and outside miter Dimension: \varnothing6x22x22mm Set of 4 pcs.</p>	
	<p>53535 - Connector BRK/MEK IG90° to AS</p> <p>made of galvanized steel for inside miter 90° BRK/MEK 4670 / 4675</p>	
	<p>53716 - Connecting set AG90° BRK/MEK 4675</p> <p>for 90° external miter consisting of: 1 pc. Connecting piece BRK/MEK AG90° to AS made of steel galvanized 4 pcs. Connecting bolt 90° / BRK/MEK 4675 made of steel galvanized nickel-plated for connecting the channel shell profiles with miter cut 45°. Dimension: \varnothing6x22x22mm</p>	
	<p>53009 - Connector 90° flat connection to anchor channel</p> <p>made of steel galvanized for 90° flat connection BRK 4670 / 4675</p>	



System overview

Parapet channel BRK 4675 200x90

	<p>53715 - Connection kit IG90° BRK/MEK 4675</p> <p>for 90° inside miter consisting of: 1 pc. Connecting piece BRK/MEK IG90° to AS made of steel galvanized 4 pcs. Connecting bolt 90° / BRK/MEK 4675 made of steel galvanized nickel-plated for connecting the channel shell profiles with miter cut 45°. Dimension: ø6x22x22mm</p>	
	<p>53570/130 - Cable tie plate STK to AS</p> <p>made of sheet steel 1.5mm dimension 130x60x19mm with slot nut and screw to mount on anchor rail 29x15x2mm Color: RAL 7032 pebble gray</p>	
	<p>59016 - Sound barrier Ø 30x300mm</p> <p>Mineral fiber braids wrapped and compacted with crossed wire meshPacking unit: 15 pcs.</p>	
	<p>53035 - Mounting plate AS with NIS box H69.5</p> <p>to BRK 4675/...x90Fastening with anchoring studsHeight: 69.5mm</p>	
	<p>53948 - Snap-on mounting plate with NIS box</p> <p>for BRK 4671/...x79 suitable for screw cap. and BRK 4675/...x90 plug-in cap for JK apparatus Height: 63.5mm / installation depth: 68.5mm</p>	
	<p>52010 - Cable tray PVC BRK 4675</p> <p>made of plastic PVC to hang into the channel shell color: white width: 38mm / length: 1850mm</p>	
	<p>53043 - Plug-in lid flush ws BRK 4675/4775</p> <p>made of aluminum profile 1.7mm color: RAL 9010 pure white Length: 2000mm</p>	
	<p>53051 - Plug-in cover CEE 16A 3p elx BRK 4675</p> <p>made of aluminum profile 1.7mm, colorless anodized for socket CEE 16A 3P type 63 including extension bolt and fixing material length 150mm</p>	
	<p>53044 - Plug-in cover flush FnW BRK 4675/4775</p> <p>made of aluminum profile 1.7mm color: at choice Length: 2000mm</p>	



System overview

Parapet channel BRK 4675 200x90

	<p>53045 - Plug-in lid flush elx BRK 4675/4775</p> <p>made of aluminum profile 1.7mm , colorless anodized</p> <p>Length: 2000mm</p>	
--	--	---