


















## System overview

Profile rails DIN15, DIN32, DIN35



Various mounting rails and combination rails.














## Components

	<b>2750A - DIN rail DIN15 aluminum 2 m</b> DIN rail DIN15 with 15x5x1.5 mm, made of aluminum alloy, with a 16 mm <sup>2</sup> copper cross-section according to EN 60715 TH 15, 2 m length	
	<b>3401/L - DIN35 steel galvanized mounting rail 2 m</b> DIN35 mounting rail with 35x7.5x1 mm, made of galvanized steel, with a 16 mm <sup>2</sup> copper cross-section, with mounting slots as well as Woertz lettering every 150 mm according to EN 60715 TH, with longitudinal hole, 2 m length.	
	<b>3744 - DIN rail DIN32 aluminum 2 m</b> DIN32 rail with 32x15x1.5 mm, made of copper, with a 150 mm <sup>2</sup> copper cross section, 2 m length.	
	<b>3490 - DIN35 steel galvanized mounting rail 2 m</b> DIN35 rail with 35x15x2.5 mm, made of galvanized steel, with a 50 mm <sup>2</sup> copper cross section according to EN 60715, 2 m length.	
	<b>3401 - Mounting rail DIN35 2000mm 35x7.5x1mm</b> DIN35 rail with 35x7.5x1mm, made of galvanized steel, with a 16 mm <sup>2</sup> copper cross section, unperforated, with Woertz lettering every 150 mm according to EN 60715 TH, 2 m length.	
	<b>3490/L - Mounting rail DIN35 2000mm 35x15x2.5mm</b> Mounting rail DIN35 with 35x15x2.5 mm, made of galvanized steel, with a 50 mm <sup>2</sup> copper cross-section according to EN 60715, with longitudinal hole, 2 m length.	
	<b>80290 - DIN35 copper mounting rail 2 m</b> DIN35 rail with 35x15x2.3 mm, made of copper, with a 6 mm <sup>2</sup> copper cross section, 2 m length.	



## System overview

Profile rails DIN15, DIN32, DIN35

	<p><b>3400A - Combination rail DIN35/DIN15 of aluminum 2 m</b></p> <p>Combination rail Extrudal-050 DIN35/DIN15, with 35x7.5x3.3 mm, made of aluminum alloy, with a 35 mm<sup>2</sup> copper cross-section, 2 m length</p>	
	<p><b>80291/2M - Combination rail DIN35/C30 of aluminum 2 m</b></p> <p>Combination rail Extrudal-050 DIN35/C30, with 35x15x1 mm made of aluminum alloy, with a 85 mm<sup>2</sup> copper cross-section, 2 m length.</p>	
	<p><b>3401IN - Mounting rail DIN35 made of VA4 steel 2 m</b></p> <p>DIN35 rail with 35x7.5x1 mm, made of VA4 steel, with a 16 mm<sup>2</sup> copper cross-section, 2 m long.</p>	
	<p><b>80291/3M - Combination rail DIN35/C30 of aluminum 3 m</b></p> <p>Combination rail Extrudal-050 DIN35/C30 with 35x15x1 mm made of aluminum alloy, with a 85 mm<sup>2</sup> copper cross section, 3 m length.</p>	
	<p><b>80291/6M - Combination rail DIN35/C30 of aluminum 6 m</b></p> <p>Combination rail Extrudal-050 DIN35/C30 with 35x15x1 mm made of aluminum alloy, with a 85 mm<sup>2</sup> copper cross section, 6 m length.</p>	
	<p><b>3743 - DIN rail DIN32 aluminum 2 m</b></p> <p>DIN32 rail with 32x15x2 mm, made of aluminum alloy, with a 150 mm<sup>2</sup> copper cross section, 2 m length.</p>	
	<p><b>2750 - DIN rail DIN15 steel galvanized 2 m</b></p> <p>DIN15 rail with 15x5.5x1 mm, made of galvanized steel, with a 6 mm<sup>2</sup> copper cross section, with fixing slots, 2 m length</p>	