



Product data sheet

3304GR - Terminal DIN32 16mm² grey



Characteristics	
Eldas number	158210537
Base Unit	Piece
availability	Delivery in 4 weeks
EAN Code	7611718200236
group	165000
Packaging unit	25
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	35 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	55x11x51 mm
Dimensions length x width x height (inch)	2.17x0.43x2.01 inch
Cross section (mm ²)	6 - 16 mm ²
Nominal current (A)	76 A



Product data sheet

3304GR - Terminal DIN32 16mm2 grey

Rated voltage (V)	1000 V
Connection type	Screw terminal
DIN rail type	DIN-32
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	M5
Insulating material	PA66
Nominal Cross-section (mm²)	16 mm²
Stripping length mm (mm)	13 mm
Head reception room width x height (mm)	7.3x8.6 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	6 AWG
Cross-section (AWG)	6 - 16 AWG
Stripping length (inch)	0,51 inch



Product data sheet

3304GR - Terminal DIN32 16mm² grey

Product accessories




80071R - Test plug Ø M4 red, socket 4mm

plug and adaptor in one piece




80071S - Test plug Ø M4 black, socket 4mm

plug and adaptor in one piece




Bezeichnungskarte_6x12mm - Designation cards 6x12mm

Various designation labels 6x12mm with different embossing.



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



Bezeichnungskarte_6x3mm - Designation card 6x3mm

Various designation plates with different embossing.

3653GR - Partition DIN32 grey to 3304

null



3758 - Stopper DIN32 height 30mm

from polyamide gray



3749 - Stopper DIN32 height 28mm

of anticorodal



81541/2 - Cross-connection 2-pole to DIN32/35 16mm² terminal blocks

Insulated cross-connection 2-pole to terminal blocks DIN32/35 16mm² including screws M4.
Dimension: 20x29.8 mm



81541/3 - Cross-connection 3-pole to DIN32/35 16mm² terminal blocks

Insulated cross-connection 3-pole to terminal blocks DIN32/35 16mm² including screws M4.
Dimension: 31x29.8 mm



81541/4 - Cross-connection 4-pole to DIN32/35 16mm² terminal blocks

Insulated cross-connection 4-pole to terminal blocks DIN32/35 16mm² including screws M4.
Dimension: 42x29.8 mm



Product data sheet

3304GR - Terminal DIN32 16mm² grey



81541/5 - Cross-connection 5-pole to DIN32/35 16mm² terminal blocks

Insulated cross-connection 5-pole to terminal blocks DIN32/35 16mm² including screws M4.
Dimension: 53x29.8 mm



81541/10 - Cross-connection 10-pole to DIN32/35 16mm² terminal blocks

Insulated cross-connection 10-pole to DIN32/35 16mm² terminal blocks including M4 screws.
Dimension: 108x29.8 mm



81541 - Cross connection bolt single M4 insulated (12.2 mm)

Cross connection bolt complete with spacer sleeve. 12.2 mm




81414L - Link to cross-connections

to terminals 16mm²



80049/16 - Warning plate for single terminal 16mm²

to series 345216



3868/4 - Cover for 4 terminals yellow

with black printing, to series 3427,345216



3868/5 - Cover for 5 terminals yellow

with black printing, to series 3427,345216



3868/6 - Cover for 6 terminals yellow

with black printing, to series 3427,345216



3868/7 - Cover for 7 terminals yellow

with black printing, to series 3427,345216



3868/8 - Cover for 8 terminals yellow

with black printing, to series 3427,345216



81441 - Sealing eyelet Ø 4.2mm


Sealing eyes



Product data sheet

3304GR - Terminal DIN32 16mm² grey

Product systems



Terminal blocks DIN32 2.5mm²-70mm²

Various terminal blocks DIN32 2.5mm²-70mm².

