




Product data sheet

49707/L1 - Junction box FK combi Sbox Phase L1 Alternating circuit C1 C4 Q



Junction box with changeover circuit C1 C4 Q phase L1. With sockets, lamp circuits changeover function

| Characteristics                         |                                 |
|-----------------------------------------|---------------------------------|
| Eldas number                            | 150713307                       |
| Base Unit                               | Piece                           |
| availability                            | Delivery according to agreement |
| EAN Code                                | 7611718220661                   |
| group                                   | 170000                          |
| Packaging unit                          | 20                              |
| country of origin                       | CH                              |
| Customs tariff number                   | 853669                          |
| Weight (g)                              | 120 g                           |
| Color                                   | black                           |
| Coding plug connection                  | Code 1 + Code 4                 |
| Technical data                          |                                 |
| Box Type                                | Junction boxes                  |
| Fire load (KWh)                         | 0,4 kWh                         |
| Dimensions length x width x height (mm) | 74x67x37 mm                     |



## Product data sheet

### 49707/L1 - Junction box FK combi Sbox Phase L1 Alternating circuit C1 C4 Q

|                                                                   |                          |
|-------------------------------------------------------------------|--------------------------|
| Dimensions length x width x height (inch)                         | 2,91x2,63x1,45 inch      |
| Degree of protection                                              | IP20, IP40 (Connected)   |
| Metal parts                                                       | Corrosion protected      |
| Flat cable contacting type                                        | Piercing contact (screw) |
| Number of poles                                                   | 3 pole                   |
| Rated current heavy current part (A)                              | 16 A                     |
| Rated voltage heavy current part (V)                              | 250 V                    |
| Operating Temperature (°C)                                        | -15 to 85 °C             |
| Installation temperature min. (°C)                                | 5 °C                     |
| Plastic parts                                                     | Halogen-free             |
| Material slider/bottom part                                       | Polyamide, Purple        |
| Material housing                                                  | Polyamide                |
| Material hood                                                     | Polyamide, black         |
| Number Screwdriver Pointed screws Heavy current part              | 1                        |
| Operating torque of pointed screws for heavy current section (Nm) | 0,7 Nm                   |



## **Product data sheet**

49707/L1 - Junction box FK combi Sbox Phase L1 Alternating circuit C1 C4 Q

### **Product accessories**



## Product data sheet

49707/L1 - Junction box FK combi Sbox Phase L1 Alternating circuit C1 C4 Q

### Product systems



#### SBox luminaire circuit flat cable Combi

SBox junction box system for luminaire switching with flat cable Combi.

