




Product data sheet

38340/4E - Push-in spring terminal block 4-fold 4mm² yellow/green



Plug-in terminal block with 4 connection options and labeling 2 × 3 labels.

Characteristics

Eldas number	158438107
Base Unit	Piece
availability	available from stock
EAN Code	7611718252228
group	165000
Packaging unit	50
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	12,84 g
Color	green/yellow

Technical data

Dimensions length x width x height (mm)	77.2x6x43 mm
Dimensions length x width x height (inch)	3.04x0.24x1.69 inch
Cross section (mm ²)	0,5 - 4 mm ²
Nominal current (A)	32 A



Product data sheet

38340/4E - Push-in spring terminal block 4-fold 4mm² yellow/green

Rated voltage (V)	800 V
Connection type	Plug-in spring terminal
Number of connection point	4
Number of floor	1
Number of potentials	1
Insulating material	PA66
Nominal Cross-section (mm ²)	4 mm ²
Stripping length mm (mm)	21 mm
Head reception room width x height (mm)	3.7x3.6 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	12 AWG
Cross-section (AWG)	12 - 20 AWG
Stripping length (inch)	0,47 inch



Product data sheet


38340/4E - Push-in spring terminal block 4-fold 4mm² yellow/green

Product accessories



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



Bezeichnungskarte_6x3mm - Designation card 6x3mm

Various designation plates with different embossing.

38341 - End and separation wall grey

to spring clamp push-in terminal 4mm 2 with 4 conductors 46.8x42.5mm



3418 - Stopper DIN35 height 30mm

Makrolon locking piece



30370 - Stopper DIN35 height 23mm

Locking piece made of nickel-plated brass M3 screw



Product data sheet

38340/4E - Push-in spring terminal block 4-fold 4mm² yellow/green

Product systems



Plug-in spring terminals with four connections DIN 35

Various plug-in spring terminals with four connections.

