




Product data sheet

30128E - Terminal block DIN35 2.5mm² 46x6x43mm green-yellow insulated



Terminal block DIN35 2.5mm² 46x6x43mm green-yellow insulated with best possible contacting, stainless steel screws, 4-digit marking possibility on both sides, recessed for cross-connections

Characteristics	
Eldas number	158681367
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718209376
group	165000
Packaging unit	50
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	11 g
Color	green/yellow
Technical data	
Dimensions length x width x height (mm)	46x6x43 mm
Dimensions length x width x height (inch)	1.81x0.24x1.69 inch
Cross section (mm ²)	0,5 - 2,5 mm ²
Nominal current (A)	24 A



Product data sheet

30128E - Terminal block DIN35 2.5mm² 46x6x43mm green-yellow insulated

Rated voltage (V)	1000 V
Connection type	Screw terminal
DIN rail type	DIN-35
Smallest connectable section (mm ²)	0,5 mm ²
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	M3 (M = 0.7Nm)
Central thread M	M3 (M = 0.7Nm)
Insulating material	PA66
Nominal Cross-section (mm ²)	2,5 mm ²
Stripping length mm (mm)	10 mm
conductors of the same cross-section per clamping point EN60947 (mm ²)	2x2,5 , 2x1,5 , 2x1 mm ²
Head reception room width x height (mm)	3.2x4.2 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	14 AWG
Cross-section (AWG)	14 - 20 AWG
Smallest connectable section (AWG)	22 AWG
Stripping length (inch)	0,39 inch
Tightening torque (lb-inch)	6,2 lb-inch



Product data sheet

30128E - Terminal block DIN35 2.5mm² 46x6x43mm green-yellow insulated

Product accessories



81546/2 - Cross-connection 2-pole to terminal blocks 2.5mm² for high demands

Insulated cross-connection for high demands 2-pole to terminal blocks 2.5mm² including screws M3. Dimension: 11.6x20.8 mm



81546/3 - Cross-connection 3-pole to terminal blocks 2.5mm² for high demands

Insulated cross-connection for high demands 3-pole to terminal blocks 2.5mm² including screws M3. Dimension: 17.7x20.8 mm



81546/4 - Cross-connection 4-pole to DIN35 2.5mm² terminal blocks for high demands

Insulated cross-connection for high demands 4-pole to terminal blocks DIN35 2.5mm² including screws M3. Dimension: 23.8x20.8 mm



81546/5 - Cross-connection 5-pole to terminal blocks 2.5mm² for high demands

Insulated cross-connection for high demands 5-pole to terminal blocks 2.5mm² including screws M3. Dimension: 29.9x20.8 mm




81546/10 - Cross-connection 10-pole to terminal blocks 2.5mm² for high demands

Insulated cross-connection for high demands 10-pole to terminal blocks including M3 screws. Dimension: 60.4x20.8 mm



81546 - Cross connection bolt single M3 insulated for high demands (13 mm)

Cross-connection bolt complete with spacer sleeve to terminal blocks for high demands. 13 mm



81410L - Link to cross-connections

Connecting lug to terminals 4mm². Dimension: 11.1x8 mm




Bezeichnungskarte_6x12mm - Designation cards 6x12mm

Various designation labels 6x12mm with different embossing.



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



Bezeichnungskarte_6x3mm - Designation card 6x3mm

Various designation plates with different embossing.



Product data sheet

30128E - Terminal block DIN35 2.5mm² 46x6x43mm green-yellow insulated



80070R - Test plug Ø M3 red, socket 4mm

plug and adaptor in one piece



2737R - Test plug Ø 2.8mm red, socket 4mm

connecting cable incl.



30112 - End barrier DIN-35 grey to 30128,

End wall suitable for 30128, 30123, 30124, 30127, 30130



3506 - Partition DIN35 grey to 30128, 3424

Partition wall suitable for 3424, 3425, 30123, 30124, 30127, 30128, 30130



80255 - Push-in barrier DIN35 to 30128, 3424,

to 3425, 30138, 30137, white



30791 - Cross-junction rack 10pole grey 6mm

to terminals with 6mm pin spacing



30422 - Cover strip for terminal blocks 9.5mm, length 280mm

Cover strip for terminal blocks DIN32/35 9.5mm , length 280mm



3418 - Stopper DIN35 height 30mm

Makrolon locking piece



30370 - Stopper DIN35 height 23mm

Locking piece made of nickel-plated brass M3 screw



30199 - Stopper DIN35 height 50mm

Aluminum alloy locking piece



81427 - Cover for 4 terminals yellow

with black printing, to series 30128



81428 - Cover for 5 terminals yellow

with black marking, to series 30128



Product data sheet

30128E - Terminal block DIN35 2.5mm² 46x6x43mm green-yellow insulated



81429 - Cover for 6 terminals yellow
with black marking, to series 30128



81430 - Cover for 7 terminals yellow
with black marking, to series 30128



81431 - Cover for 8 terminals yellow
with black marking, to series 30128




81440 - Sealing eyelet Ø 3.2mm
Sealing eyes



Product data sheet

30128E - Terminal block DIN35 2.5mm² 46x6x43mm green-yellow insulated

Product systems



Terminal blocks for high demands DIN35

Terminal blocks for high demands DIN35 with best possible contacting, stainless steel screws, 4-digit marking possibility on both sides, recessed for cross connections

