




Product data sheet

3430GRBL - Double level terminal DIN35 4mm² gray/blue



Double deck clamp with stainless steel screws, countersunk for cross connections, 2x3-digit marking option on both sides

Characteristics	
Eldas number	158113257
Base Unit	Piece
availability	Delivery in 4 weeks
EAN Code	7611718220272
group	165000
Packaging unit	50
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	18 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	64x6x49 mm
Dimensions length x width x height (inch)	2.52x0.24x1.93 inch
Cross section (mm²)	0,5 - 4 mm²
Nominal current (A)	32 A



Product data sheet

3430GRBL - Double level terminal DIN35 4mm² gray/blue

Rated voltage (V)	500 V
Connection type	Screw terminal
DIN rail type	DIN-35
Number of connection point	4
Number of floor	2
Number of potentials	2
Clamping screw M	M3
Insulating material	PA66
Nominal Cross-section (mm²)	4 mm²
Stripping length mm (mm)	10 mm
Head reception room width x height (mm)	3.2x5 mm
Rating data according to UL 1059	
Rated voltage US (V)	300 V
Nominal cross section (AWG)	12 AWG
Cross-section (AWG)	12 - 20 AWG
Stripping length (inch)	0,39 inch



Product data sheet

3430GRBL - Double level terminal DIN35 4mm² gray/blue

Product accessories



81526/2 - Cross-connection 2pole to terminal 2.5mm²/4mm²

Cross connections complete with M3 screws. 11.1x17.8 mm



81526/3 - Cross-connection 3-pole to terminals DIN15/32/35 2.5mm²/4mm²

Insulated cross-connection 3-pole to terminals DIN15/32/35 2.5mm²/4mm² including screws M3. Dimension: 17.2x17.8 mm



81526/4 - Cross-connection 4-pole to terminals DIN15/32/35 2.5mm²/4mm²

Insulated cross-connection 4-pole to terminals DIN15/32/35 2.5mm²/4mm² including screws M3. Dimension: 23.3x17.8 mm



81526/5 - Cross-connection 5-pole to terminals DIN15/32/35 2.5mm²/4mm²

Insulated cross-connection 5-pole to terminals DIN15/32/35 2.5mm²/4mm² including screws M3. Dimension: 29.4x17.8 mm



81526/10 - Cross-connection 10-pole to terminals DIN15/32/35 2.5mm²/4mm²

Insulated cross-connection 10-pole to terminals DIN15/32/35 2.5mm²/4mm² including screws M3. Dimension: 59.9x17.8 mm



81526 - Cross connection bolt single M3, insulated (9.1 mm)

Cross connection bolt complete with spacer sleeve. 9.1 mm



30441 - Link to cross-connections

to terminals 4mm²



80070R - Test plug Ø M3 red, socket 4mm

plug and adaptor in one piece



2737R - Test plug Ø 2.8mm red, socket 4mm

connecting cable incl.



80222/6 - Test adaptor to terminal series 3450 2 spiral springs

with hole for strands up to 0.75mm²




Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



Product data sheet

3430GRBL - Double level terminal DIN35 4mm² gray/blue



Bezeichnungskarte_6x3mm - Designation card 6x3mm

Various designation plates with different embossing.



3431 - End barrier DIN35 grey to 3430, 30860

End wall suitable for 3430, 30860



3432 - Partition DIN35 grey to 30860

Partition wall suitable for 30860



80254 - Push-in barrier DIN35 to 30860, 3430

white



30199 - Stopper DIN35 height 50mm

Aluminum alloy locking piece



30791 - Cross-junction rack 10pole grey 6mm

to terminals with 6mm pin spacing



3894/4 - Cover for 4 terminals yellow

with black printing, to series 3430



3894/5 - Cover for 5 terminals yellow

with black printing, to series 3430



3894/6 - Cover for 6 terminals yellow

with black printing, to series 3430



3894/7 - Cover for 7 terminals yellow

with black printing, to series 3430



3894/8 - Cover for 8 terminals yellow

with black printing, to series 3430



81440 - Sealing eyelet Ø 3.2mm

Sealing eyes



Product data sheet

3430GRBL - Double level terminal DIN35 4mm² gray/blue



3512 - Sealing screw M3x25 of polyamide

Sealing screw spring-loaded test probes, several numbers of poles can be lined up



30421 - Cover strip for double level and terminal blocks 9.5mm, length 280mm


Cover strip for double level and terminal blocks DIN32/35 9.5mm , length 280mm



Product data sheet

3430GRBL - Double level terminal DIN35 4mm² gray/blue

Product systems



Double deck clamps DIN 35

Various double-deck clamps.

