




Product data sheet

35310/16V - PE tension spring terminal DIN35 16mm² green



partially enclosed earthing terminals, with 2 clamps, greenyellow

Characteristics	
Eldas number	158430597
Base Unit	Piece
availability	available from stock
EAN Code	7611718218019
group	165000
Packaging unit	25
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	50 g
Color	green/yellow
Technical data	
Dimensions length x width x height (mm)	84x12x44 mm
Dimensions length x width x height (inch)	3.31x0.47x1.73 inch
Cross section (mm²)	16 mm²
Connection type	Spring clamp



Product data sheet

35310/16V - PE tension spring terminal DIN35 16mm² green

DIN rail type	DIN-35
Number of connection point	2
Number of floor	1
Number of potentials	1
Insulating material	PA66
Nominal Cross-section (mm²)	16 mm²
Stripping length mm (mm)	18 mm
Rating data according to UL 1059	
Nominal cross section (AWG)	6 AWG
Cross-section (AWG)	6 - 6 AWG
Stripping length (inch)	0,71 inch



Product data sheet

35310/16V - PE tension spring terminal DIN35 16mm² green

Product accessories




80247 - Test plug Ø 2.3mm red, socket 4mm

connecting cable incl.




80248 - Test plug Ø 2.3mm black, socket 4mm

connecting cable incl.



Bezeichnungskarte_6x12mm - Designation cards 6x12mm

Various designation labels 6x12mm with different embossing.



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



35455/09BS - Marking strip 9x240mm

with 25strips per box



35455/69T - Marking adaptor for label 6x9mm

to spring clamp terminals



35311/16 - Partition and end barrier 82.5x43mm

grey, to spring clamp terminals with 2 clamps



35445 - End retainer for Spring clamp terminal DIN35


of polyamide 66, grey dimensions: 8x45.2x23.5mm to spring clamp terminals 1.5 to 16mm 2



Product data sheet

35310/16V - PE tension spring terminal DIN35 16mm² green

Product systems



Protective conductor terminal blocks to DIN 35 spring-cage terminal blocks

Various protective conductor terminals to tension spring terminals.

