
















System overview

DAK22 271x271 square



Raised floor system DAK22 271x271 square.


Components

	<b>52955 - Cover DAK 271x271 AI SK22 KM</b> with frame and lid made of aluminum edge height 22mm incl. 2 cable trays	
	<b>52956 - Cover visible DAK 271x271 AI KM</b> with frame and visible anodized aluminum lid incl. 2 cable trays	
	<b>52965 - Cover DAK 271x271 Cr SK22 KM</b> with frame and lid made of chrome steel Edge height 22mm incl. 2 cable trays	
	<b>52966 - Cover visible DAK 271x271 Cr KM</b> with frame and visible polished chrome steel lid incl. 2 cable trays	
	<b>52030 - Installation kit 2x3FLF horizontal SB BAK22</b> hook-in, to BAK with protective edge 12mm and 22mm made of galvanized sheet steel 1.5mm including 2 mounting plates color: RAL 7032 pebble gray equipped, wired and tested: 1 pc. Terminal block 7x2.5mm <sup>2</sup> 3 pcs. socket FLF 3/5 T13 white 55200 minimum floor height: BAK12=74mm; BAK22=84mm	
	<b>52060 - Installation kit 2x3FLF horizontal empty BAK22</b> hook-in, to BAK with protective edge 12mm and 22mm made of galvanized sheet steel 1.5mm including 2 mounting plates color: RAL 7032 pebble gray equipped with: 1 pc. Terminal strip 7x2.5mm <sup>2</sup> minimum floor height: BAK12=74mm; BAK22=84mm	



## System overview

DAK22 271x271 square



### 52050 - Installation kit 2x5FLF vertical SB BAK22

hook-in, to BAK with protective edge 12mm and 22mm  
including 2 mounting plates  
Color: RAL 7032 pebble gray  
equipped, wired and tested: 1 pcs. Terminal strip 9x2.5mm<sup>2</sup>  
5 pcs. socket FLF 3/5 T13 white 55200  
Minimum floor height: BAK12=89mm; BAK22=99mm




### 52040 - Installation kit 2x5FLF vertical empty BAK22

hook-in, to BAK with protective edge 12mm and 22mm  
made of galvanized sheet steel 1.5mm  
including 2 mounting plates  
color: RAL 7032 pebble gray  
equipped with: 1 pc. Terminal strip 9x2.5mm<sup>2</sup>  
minimum floor height: BAK12=89mm; BAK22=99mm



### 52073 - Installation kit 2x8 module-LM empty BAK22 / DAK22

for modules type Legrand Mosaic  
hangable, to BAK with protective edge 12mm and 22mm  
including 2 mounting plates  
color: RAL 7032 pebble gray  
equipped with: 1 pc. Terminal strip 9x2.5mm<sup>2</sup>  
minimum floor height: BAK12=89mm; BAK22=99mm




### 52058 - Installation kit 2x8 module-BT empty BAK22 / DAK22

for modules type bticino  
mountable, to BAK and DAK with protective edge 22mm  
including 2 holding plates and 2 mounting plates  
color: RAL 7032 pebble gray  
equipped with: 1 pc. Terminal strip 9x2.5mm<sup>2</sup>  
minimum floor height: BAK12=89mm; BAK22=99mm



### 52960 - Protective housing FLF horizontal DAK22

suitable for installation kit 52030 and 52060,  
as a lower cover of the installation kit,  
can be mounted with an installation kit from above,  
made of galvanized sheet steel 1mm color: RAL 7032 pebble gray



### 52940 - Protective housing FLF standing DAK22


















suitable for installation kit 52040 and 52050,  
as a lower cover of the installation kit,  
can be mounted with an installation kit from above,  
made of galvanized sheet steel 1mm color: RAL 7032 pebble gray





## System overview

DAK22 271x271 square

	<b>51572 - Al frame complete BAK22/ZUG22/DAK22</b> made of aluminum 3mm for Al lid with edge height inside 22mm including wooden lid	
	<b>51565 - Al lid with rim BAK/DAK22 KM</b> made of aluminum 3mm with edge height 22mm for cable tray	
	<b>51573 - Al lid with rim BAK/DAK22 BL</b> made of aluminum 3mm with edge height 22mm including 2 pcs. Brush outlets	
	<b>51567 - Al cover visible BAK22 KM</b> made of aluminum 3mm, Sichtseite colorless anodized, glued to wood raw chipboard V100 22mm. Dimension: 271x271x25mm	
	<b>51529 - Cr frame complete BAK22/ZUG22/DAK22</b> made of chrome steel 3mm with edge height 22mm	
	<b>51525 - Cover of stainless steel w border BAK KM</b> made of chrome steel 3mm with edge height 22mm for cable tray	
	<b>51530 - Cr lid with rim BAK/DAK22 BL</b> made of chrome steel 3mm with edge height 22mm including 2 pcs. Brush outlets	
	<b>51566 - Cr lid visible BAK/DAK 22 KM</b> made of chrome steel V2A 3mm , visible side ground grain 220, glued to wood raw chipboard V100 22mm. Dimension: 271x271x25mm	
	<b>51111 - Brush strip BAK22 / DAK22 / WAK 214</b> plastic black Dimension: 53x26mm Bristle length: 20mm	