



Product data sheet

3303BL - Terminal DIN32 10mm2 blue



Characteristics	
Eldas number	158210457
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718200182
group	165000
Packaging unit	25
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	25 g
Color	blue
Technical data	
Dimensions length x width x height (mm)	52x9x47 mm
Dimensions length x width x height (inch)	2.05x0.35x1.85 inch
Cross section (mm²)	4 - 10 mm²
Nominal current (A)	57 A



Product data sheet

3303BL - Terminal DIN32 10mm2 blue

Rated voltage (V)	1000 V
Connection type	Screw terminal
DIN rail type	DIN-32
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	M4
Insulating material	PA66
Nominal Cross-section (mm²)	10 mm²
Stripping length mm (mm)	13 mm
Head reception room width x height (mm)	5.8x7.5 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	8 AWG
Cross-section (AWG)	8 - 18 AWG
Stripping length (inch)	0,51 inch



Product data sheet

3303BL - Terminal DIN32 10mm2 blue

Product accessories



80070R - Test plug Ø M3 red, socket 4mm

plug and adaptor in one piece



80070S - Test plug Ø M3 black, socket 4mm

plug and adaptor in one piece



2737R - Test plug Ø 2.8mm red, socket 4mm

connecting cable incl.



2737S - Test plug Ø 2.8mm black, socket 4mm

connecting cable incl.



Bezeichnungskarte_6x12mm - Designation cards 6x12mm

Various designation labels 6x12mm with different embossing.



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



Bezeichnungskarte_6x3mm - Designation card 6x3mm

Various designation plates with different embossing.



3758 - Stopper DIN32 height 30mm

from polyamide gray



3749 - Stopper DIN32 height 28mm

of anticorodal



81508/2 - Cross-connection 2-pole to DIN32/35 10mm² terminal blocks

Insulated cross-connection 2-pole to DIN32/35 10mm² terminal blocks including M3 screws.
Dimension: 15.4x26.8 mm



81508/3 - Cross-connection 3-pole to DIN32/35 10mm² terminal blocks

Insulated cross-connection 3-pole to DIN32/35 10mm² terminal blocks including M3 screws.
Dimension: 23.5x26.8 mm



Product data sheet

3303BL - Terminal DIN32 10mm² blue



81508/4 - Cross-connection 4-pole to DIN32/35 10mm² terminal blocks

Insulated cross-connection 4-pole to DIN32/35 10mm² terminal blocks including M3 screws.
Dimension: 31.6x26.8 mm



81508/5 - Cross-connection 5-pole to terminals DIN32/35 10mm²

Insulated cross-connection 5-pole to terminals DIN32/35 10mm² including screws M3.
Dimension: 39.7x26.8 mm




81508/10 - Cross-connection 10-pole to DIN32/35 10mm² terminal blocks

Insulated cross-connection 10-pole to DIN32/35 10mm² terminal blocks including M3 screws.
Dimension: 80.2x26.8 mm



81549 - Cross connection bolt single M3 insulated (13.5 mm)

Cross connection bolt complete with spacer sleeve. 13.5 mm



81412L - Link to cross-connections

to terminals 6 und 10mm²



80049/10 - Warning plate for single terminal 10mm²

to series 345210



3867/4 - Cover for 4 terminals yellow

with black printing, to series 3426



3867/5 - Cover for 5 terminals yellow

with black printing, to series 3426



3867/6 - Cover for 6 terminals yellow

with black printing, to series 3426



3867/7 - Cover for 7 terminals yellow

with black printing, to series 3426



3867/8 - Cover for 8 terminals yellow

with black printing, to series 3426



81440 - Sealing eyelet Ø 3.2mm

Sealing eyes



Product data sheet

3303BL - Terminal DIN32 10mm² blue



3512 - Sealing screw M3x25 of polyamide

Sealing screw spring-loaded test probes, several numbers of poles can be lined up



30422 - Cover strip for terminal blocks 9.5mm, length 280mm

Cover strip for terminal blocks DIN32/35 9.5mm , length 280mm



Product data sheet

3303BL - Terminal DIN32 10mm² blue

Product systems



Terminal blocks DIN32 2.5mm²-70mm²

Various terminal blocks DIN32 2.5mm²-70mm².

