



Product data sheet

48510/03 - End piece FC 3G2.5 / 4mm² IP68



3G4

Characteristics	
Eldas number	120900307
Base Unit	Piece
availability	available from stock
EAN Code	7611718250873
group	170000
Packaging unit	8
country of origin	CH
Customs tariff number	392590
Weight (g)	10 g
Technical data	
Dimensions length x width x height (mm)	40x25x15 mm
Dimensions length x width x height (inch)	1.57x0.98x0.59 inch
Degree of protection	IP68



Product data sheet

48510/03 - End piece FC 3G2.5 / 4mm² IP68

Product accessories



Product data sheet

48510/03 - End piece FC 3G2.5 / 4mm² IP68

Product systems



LED flat cable light system 2xDC IP 3G2.5 mm² and 3G4 mm² (IP66/68)

Quick connection with 24 Vdc LED, type A/B variety, IP66/68 robustness. Combined with high-quality cables such as halogen-free 3x2.5 mm²



Flat cable system IP 3G2.5 mm² and 3G4 mm² (IP66/68)

This system is used in tunnelling, civil engineering, industrial plants, workshops and joineries, as well as outdoors for events and open airs, due to its high IP protection level and extraordinary flexibility in terms of changeability and expandability.



Cable end pieces

Cable end pieces for flat cable



Flat cable system 3G2.5 mm² and 3G4 mm²

Effortless installation. Limitless flexibility. Discover the versatile system for workshops, commercial spaces and laboratories.

