




Product data sheet

2760 - Small screw terminal DIN15 2.5mm2 grey



Characteristics	
Eldas number	158310137
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718203954
group	165000
Packaging unit	100
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	5 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	28x5x24 mm
Dimensions length x width x height (inch)	1.10x0.20x0.95 inch
Cross section (mm²)	0,5 - 2,5 mm²
Nominal current (A)	24 A



Product data sheet

2760 - Small screw terminal DIN15 2.5mm2 grey

Rated voltage (V)	400 V
Connection type	Screw terminal
DIN rail type	DIN-15
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	M2.5
Insulating material	PA66
Nominal Cross-section (mm²)	2,5 mm²
Stripping length mm (mm)	6 mm
Head reception room width x height (mm)	2.5x3.5 mm
Rating data according to UL 1059	
Rated voltage US (V)	300 V
Nominal cross section (AWG)	14 AWG
Cross-section (AWG)	14 - 20 AWG
Stripping length (inch)	0,24 inch



Product data sheet

2760 - Small screw terminal DIN15 2.5mm² grey

Product accessories



80247 - Test plug Ø 2.3mm red, socket 4mm
connecting cable incl.



Bezeichnungskarte_5x3mm - Designation card 5x3mm
Various designation plates with different embossing.



Bezeichnungskarte_5x5mm - Designation card 5x5mm
Various designation plates with different embossing.

2764 - End barrier DIN15 grey to 2760
End wall suitable for 2760



2763 - Partition DIN15 grey to 2760
Partition wall suitable for 2760



2765 - Stopper DIN15 height 20mm
Makrolon locking piece



2754 - Stopper DIN15 height 17.5mm
Locking piece made of nickel-plated brass M3 screw



81515/2 - Cross-connection 2-pole to small screw terminals DIN15 2.5mm²
Insulated cross-connection 2-pole to small screw terminals DIN15 2.5mm² including screws.
Dimension: M2.5. 9.1x12.6 mm



81515/3 - Cross-connection 3-pole to small screw terminals DIN15 2.5mm²
Insulated cross-connection 3-pole to small screw terminals DIN15 2.5mm² including screws
M2.5. dimension: 14.2x12.6 mm



81515/10 - Cross-connection 10-pole to small screw terminals DIN15 2.5mm²
Insulated cross-connection 10-pole to small screw terminals DIN15 2.5mm² including screws
M2.5. dimension: 49.7x12.6 mm



81515 - Cross connection bolt single M2.5 insulated
Single cross-connection bolt to screw terminals complete with spacer sleeve.



Product data sheet

2760 - Small screw terminal DIN15 2.5mm² grey



30793 - Cross-connection rack 10pole grey 5mm

Cross-connection rake made of nickel-plated brass, gray, for small screw terminals with 5mm pitch



2721 - Protective conductor terminal DIN15 2.5mm² blank

null



2762 - End barrier DIN15 grey to 2759

End wall suitable for 2759



2715 - Cross-connection rack 12pole bare 5mm

of nickel-plated brass, to small screw terminals 2.5mm² with pin spacing 5mm



Product data sheet

2760 - Small screw terminal DIN15 2.5mm² grey

Product systems



Terminal blocks DIN15 2.5mm²/4mm²

Various terminal blocks DIN15 2.5mm²/4mm².

