



Product data sheet

49421M - Plug Snap-In Bus CW 3P GY



Plug 3-pole, Code Woertzcut-out: 17.8x17.8mm mounting depth: 29 mm adapted sheet thickness: 0.5-2.5 mm

Characteristics	
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718255267
group	170000
Packaging unit	25
country of origin	CH
Customs tariff number	8536.908
Color	black
Connector type	Connecting cable plug
Coding plug connection	Code Woertz
Technical data	
Dimensions length x width x height (mm)	23.5x19.5x29.5 mm
Dimensions length x width x height (inch)	0.93x0.77x1.16 inch
Degree of protection	IP20
Number of poles	2 pole



Product data sheet

49421M - Plug Snap-In Bus CW 3P GY

Connection conductor (mm²)	6 mm²
Material	Polyamide
Rated current heavy current part (A)	3 A
Rated voltage heavy current part (V)	50 V
Halogen free	No



Product data sheet

49421M - Plug Snap-In Bus CW 3P GY

Product accessories



Product data sheet

49421M - Plug Snap-In Bus CW 3P GY

Product systems



Device plug connection, plugs and sockets to Woertz plug connections

Code 1 Code 2 Suitable for luminaire connections matching Woertz flat cable installation.



Plug connections for BUS (Code Woertz, Code KNX, Code 3)

BUS connectors code Woertz, code KNX, code 3.



BUS/Code 3/Code Woertz/KNX connectors and connecting cables suitable for flat cable system

Suitable BUS connectors and connecting cables for the following systems:



- Data 2x1.5 mm²
- Combi 5G2.5 mm²
- Combi 5G2.5 mm² KNX
- Dali 3G2.5 2x1.5 mm²
- Dali 5G2.5 2x1.5 mm²