



Product data sheet

49665 - PVC round cable 4x0.75 mm² SW



Round cable PVC flexible 4x0.75 mm²

Characteristics	
Eldas number	113271047
Base Unit	Meter
availability	Delivery in 4 weeks
EAN Code	7611718241420
group	170000
country of origin	CH
Customs tariff number	854449.0
Weight (g)	70 g
Technical data	
Construction (mm²)	4x0.75 mm²
Halogen free	No
Cable type	PVC flat cable
Cross section -BUS (mm²)	0,75 mm²
BUS-Copper conductor	Fine stranded KL5 EN60228
BUS-Cores insulation	PVC



Product data sheet

49665 - PVC round cable 4x0.75 mm² SW

Sheat insulation	PVC
Sheath color	Black
Operating Temperature (°C)	-25 to 70 °C
Installation temperature min. (°C)	5 °C
BUS-Rated voltage (V)	300/500 V
Flame retardant according to	IEC/EN60332-1-2



Product data sheet

49665 - PVC round cable 4x0.75 mm² SW

Product accessories



Product data sheet

49665 - PVC round cable 4x0.75 mm² SW

Product systems



Flat cable system Multibus 4x1.5 mm²

Smart solutions for building control. Ideal for extra-low voltage, heating, ventilation, air conditioning and Belimo MP-Bus. Meets SMI LoVo requirements. Optimize your building technology!

