



Product data sheet

30168 - Longitudinal Disconnecting terminal DIN35 10mm²



Characteristics	
Eldas number	158620737
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718204227
group	165000
Packaging unit	20
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	32 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	75x9x49 mm
Dimensions length x width x height (inch)	2.95x0.35x1.93 inch
Cross section (mm ²)	0,5 - 10 mm ²
Nominal current (A)	57 A



Product data sheet

30168 - Longitudinal Disconnecting terminal DIN35 10mm2

Rated voltage (V)	500 V
Connection type	Screw terminal
DIN rail type	DIN-35
Number of connection point	3
Number of floor	1
Number of potentials	1
Clamping screw M	M4
Insulating material	PA66
Nominal Cross-section (mm²)	10 mm²
Stripping length mm (mm)	14 mm
Head reception room width x height (mm)	4.5x5.5 mm
Rating data according to UL 1059	
Rated voltage US (V)	300 V
Nominal cross section (AWG)	8 AWG
Cross-section (AWG)	8 - 20 AWG
Stripping length (inch)	0,55 inch



Product data sheet

30168 - Longitudinal Disconnecting terminal DIN35 10mm²

Product accessories



Bezeichnungskarte_6x12mm - Designation cards 6x12mm

Various designation labels 6x12mm with different embossing.



Bezeichnungskarte_6x9mm - Designation card 6x9mm

Various designation plates with different embossing.



Bezeichnungskarte_6x3mm - Designation card 6x3mm

Various designation plates with different embossing.

30159 - End barrier DIN35 grey to 30168, 30172

End wall suitable for 30168, 30172, 30176, 30191, 30195, 30228



3418 - Stopper DIN35 height 30mm

Makrolon locking piece



30199 - Stopper DIN35 height 50mm

Aluminum alloy locking piece



Product data sheet

30168 - Longitudinal Disconnecting terminal DIN35 10mm²

Product systems



Longitudinal and transverse disconnect clamps DIN 35

Various longitudinal and transverse disconnect clamps DIN 35.

