



30111E - Terminal DIN32 2.5mm2 green/yellow



Characteristics	
Eldas number	158690367
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718209352
group	165000
Packaging unit	50
country of origin	СН
Customs tariff number	8536.9080
Weight (g)	10,6 g
Color	green/yellow
Technical data	
Dimensions length x width x height (mm)	46x6x41 mm
Dimensions length x width x height (inch)	1.81x0.24x1.61 inch
Cross section (mm ²)	0,5 - 2,5 mm²
Nominal current (A)	24 A





30111E - Terminal DIN32 2.5mm2 green/yellow

Rated voltage (V)	1000 V
Connection type	Screw terminal
DIN rail type	DIN-32
Number of connection point	2
Number of floor	1
Number of potentials	1
Clamping screw M	МЗ
Insulating material	PA66
Nominal Cross-section (mm ²)	2,5 mm²
Stripping length mm (mm)	10 mm
Head reception room width x height (mm)	3.2x4.2 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	14 AWG
Cross-section (AWG)	14 - 20 AWG
Stripping length (inch)	0,39 inch





30111E - Terminal DIN32 2.5mm2 green/yellow

Product accessories

	80247 - Test plug Ø 2.3mm red, socket 4mm connecting cable incl.
	80248 - Test plug Ø 2.3mm black, socket 4mm connecting cable incl.
	Bezeichnungskarte_6x12mm - Designation cards 6x12mm Various designation labels 6x12mm with different embossing.
	Bezeichnungskarte_6x9mm - Designation card 6x9mm Various designation plates with different embossing.
	Bezeichnungskarte_6x3mm - Designation card 6x3mm Various designation plates with different embossing.
F	3651GR - Partition DIN32 grey to 30111,3301,3302 for 30111,3301,3302
	3758 - Stopper DIN32 height 30mm from polyamide gray
	3749 - Stopper DIN32 height 28mm of anticorodal
and a second	81427 - Cover for 4 terminals yellow with black printing, to series 30128
Ļ	81440 - Sealing eyelet Ø 3.2mm Sealing eyes
ananan .	30421 - Cover strip for double level and terminal blocks 9.5mm, length 280mm Cover strip for double level and terminal blocks DIN32/35 9.5mm, length 280mm
Ī	81506 - Cross connection bolt single M3 insulated (10.6 mm) Cross-connection bolt complete with spacer sleeve. Standard version. Dimension: 10.6 mm





30111E - Terminal DIN32 2.5mm2 green/yellow

	81506/10 - Cross-connection 10-pole to terminals DIN32/35 4mm² Insulated cross-connections 10-pole to terminals DIN32/35 4mm ² including M3 screws. Standard version. Dimension: 59.9x20.8 mm
Ħ	81506/2 - Cross-connection 2-pole to terminals DIN32/35 4mm ² Insulated cross-connection 2-pole to terminals DIN32/35 4mm ² including screws M3. Standard version. Dimension: 11.1x20.8 mm
	81506/3 - Cross-connection 3-pole to terminals DIN32/35 4mm ² Insulated cross-connection 3-pole to terminals DIN32/35 4mm ² including screws M3. Standard version. Dimension: 17.2x20.8 mm
	81506/4 - Cross-connection 4-pole to terminals DIN32/35 4mm ² Insulated cross-connection 4-pole to terminals DIN32/35 4mm ² including screws M3. Standard version. Dimension: 23.3x20.8 mm
	81506/5 - Cross-connection 5-pole to terminals DIN32/35 4mm ² Insulated cross-connection 5-pole to terminals DIN32/35 4mm ² including screws M3. Standard version. Dimension: 29.4x20.8 mm
	81410L - Link to cross-connections Connecting lug to terminals 4mm ² . Dimension: 11.1x8 mm





30111E - Terminal DIN32 2.5mm2 green/yellow

Product systems



Terminal blocks DIN32 2.5mm²-70mm²

Various terminal blocks DIN32 2.5mm²-70mm².

