



30903WE - Y terminal block DIN35 2.5mm² white



Y-series terminal block DIN35 2.5mm² white with 3 connections with stainless steel screws, 3-digit marking option on both sides, recessed for cross-connections

Characteristics	
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718235399
group	165000
Packaging unit	50
country of origin	СН
Customs tariff number	8536.9080
Weight (g)	9 g
Color	white
Technical data	
Dimensions length x width x height (mm)	52x5x41.6 mm
Dimensions length x width x height (inch)	2.05x0.20x16.38 inch
Cross section (mm²)	0,5 - 2,5 mm²
Nominal current (A)	24 A
Rated voltage (V)	800 V





30903WE - Y terminal block DIN35 2.5mm² white

Connection type	Screw terminal
DIN rail type	DIN-35
Number of connection point	3
Number of floor	1
Number of potentials	1
Clamping screw M	M2.5
Insulating material	PA66
Nominal Cross-section (mm²)	2,5 mm²
Stripping length mm (mm)	9 mm
Head reception room width x height (mm)	2.5x3.2 mm
Rating data according to UL 1059	
Rated voltage US (V)	600 V
Nominal cross section (AWG)	14 AWG
Cross-section (AWG)	14 - 20 AWG
Stripping length (inch)	0,35 inch





30903WE - Y terminal block DIN35 2.5mm² white

Product accessories

Ī	81505 - Cross connection bolt single M2.5 insulated (10.6mm) Cross connection bolt complete with spacer sleeve. 10.6 mm
	30408 - Link to cross-connections to terminals 2.5mm 2
	81505/2 - Cross-connection 2-pole to DIN35/32 2.5mm² terminal blocks Insulated cross-connection 2-pole to DIN32/35 terminal blocks including M2.5 screws. Dimension: 9.1x18.8mm.
	81505/3 - Cross-connection 3-pole to terminal blocks DIN32/35 2.5mm² Insulated cross-connection 3-pole to DIN32/35 terminal blocks including M2 screws. Dimension: 5.14.2x18.8mm.
	81505/4 - Cross-connection 4-pole to terminal blocks DIN32/35 2.5mm² Insulated cross-connection 4-pole to terminal blocks DIN32/35 2.5mm² including screws M2.5. dimension: 19.3x18.8mm.
	81505/5 - Cross-connection 5-pole to DIN32/35 2.5mm² terminal blocks Insulated cross-connections 5-pole to DIN32/35 terminal blocks including M2.5 screws. Dimension: 24.4x18.8mm.
	81505/10 - Cross-connection 10-pole to DIN32/35 2.5mm² terminal blocks Insulated cross-connection 10-pole to terminal blocks DIN32/35 2.5mm² including screws M2.5. dimension: 49.7x18.8mm.
	Bezeichnungskarte_5x5mm - Designation card 5x5mm Various designation plates with different embossing.
	Various designation plates with different embossing
	Bezeichnungskarte_5x9mm - Designation card 5x9mm Various designation plates with different embossing.
	Bezeichnungskarte_5x12mm - Designation card 5x12mm Various designation plates





30903WE - Y terminal block DIN35 2.5mm² white

	80247 - Test plug Ø 2.3mm red, socket 4mm connecting cable incl.
	80248 - Test plug Ø 2.3mm black, socket 4mm connecting cable incl.
WOWIE 0 20013	30913 - End barrier DIN35 grey to 30903, 30904 End wall suitable for 30903, 30904
	3418 - Stopper DIN35 height 30mm Makrolon locking piece
	30790 - Cross-junction rack 10pole grey 5mm Cross-connection rake made of nickel-plated brass, for terminal blocks 2.5mm² with 5mm pitch
A .	81401/4 - Cover for 4 terminals yellow with black marking,to series 30150, 30903, 30973, 30860
	81401/5 - Cover for 5 terminals yellow with black marking, to series 30150, 30903, 30973, 30860
- A	81401/6 - Cover for 6 terminals yellow with black marking, to series 30150, 30903, 30973, 30860
	81401/7 - Cover for 7 terminals yellow with black marking, to series 30150, 30903, 30973, 30860
	81401/8 - Cover for 8 terminals yellow with black marking, to series 30150, 30903, 30973, 30860
	81440 - Sealing eyelet Ø 3.2mm Sealing eyes
Cathanan	30421 - Cover strip for double level and terminal blocks 9.5mm, length 280mm Cover strip for double level and terminal blocks DIN32/35 9.5mm, length 280mm





30903WE - Y terminal block DIN35 2.5mm² white

Product systems



Y terminal blocks DIN 35

Various Y-series terminals DIN35 with 3 connections.

