




#### Parapet trunking system BRK 4670 200x115



Parapet channel 4670 200x115 mm. With stable anchor rail C30 for fastening with slot nut. - Made of galvanized sheet steel. Openings at the front.

#### Components

	<b>53138 - Channel shell FnW BRK 4670/200x115</b> made of galvanized sheet steel with anchor rail 29x15x2mm incl. connecting material and ground wire Color: at choice Length: 2000mm	
<i>a.</i>	<b>53127 - Channel shell ws BRK 4670/200x115</b> made of galvanized sheet steel 1mm with anchor rail 29x15x2mm incl. connecting material and ground wire Color: RAL 9010 Pure white Length: 2000mm	
and the second s	<b>53510 - Connecting link BRK straight connection</b> for BRK 4670, 4671, 4183 and STK 4672	
<b>\$</b>	<b>53511 - Connector straight BRK/MEK to AS</b> made of galvanized steel for straight connection BRK/MEK 4670 / 4675 with hexagonal slotted screws made of galvanized steel M6x16, spring washers and sliding blocks for insertion in profile rail no. 4383, type C30	
	<b>53531 - Connecting link BRK IG 90°</b> Inside miter 90° for BRK 4670, 4671, 4183	
~	53535 - Connector BRK/MEK IG90° to AS made of galvanized steel for inside miter 90° BRK/MEK 4670 / 4675	
	<b>53530 - Connecting link BRK AG90°</b> External miter 90° for BRK 4670, 4671, 4183	





Parapet trunking system BRK 4670 200x115

	53534 - Connecting piece BRK/MEK AG 90° to AS	
$\checkmark$	made of galvanized steel for external miter 90° BRK/MEK 4670 / 4675	
	53533 - Connecting link BRK IG135°	
127	Inside miter 135° for BRK 4670, 4671, 4183	
	53537 - Connector BRK /MEK IG135° to AS	
	made of steel electrogalvanized for inside miter 135° BRK 4670	
	53532 - Connecting link BRK AG135°	
· ·	External miter 135° for BRK 4670, 4671, 4183	
	53536 - Connector AG135° BRK to AS	
<u>х</u>	made of steel galvanized for external miter 135° BRK 4670	
•	53135 - Connecting lug inside BRK 90° flat connection	
	Flat miter inside 90° for BRK 4670, 4671, 4183 and STK 4672	
b. of	53136 - Connecting lug AU BRK 90°-flat-connect.	
	Flat miter outside 90° type B for BRK 4670,4671,4183 and STK 4672	
8	53009 - Connector 90° flat connection to anchor channel	
	made of steel galvanized for 90° flat connection BRK 4670 / 4675	
	53244 - Screw cap 162 FnW	
	made of galvanized steel sheet 2mm to BRK 4183 / 4670 including 3x mounting bracket 53158 Color: at choice	
	Length: 2000mm	
	53158 - Cover mounting bracket 162	
*	to sheet steel screw cap including M6 raised countersunk head screw	
	53257 - Plug-in cover 162 ws	
	made of galvanized steel sheet 1mm including 6 pcs. tension springs Color: RAL 9010 Pure white	





### Parapet trunking system BRK 4670 200x115

	53263 - Plug-in cover 162 FnW	
	made of galvanized steel sheet 1mm including 6 pcs tension springs	
	Color: color of your choice Length: 2000mm Width: 200mm	国族马托泽来译
	53366 - Plug-in cover 162 ws	
	made of galvanized sheet steel 1mm including 4 pcs. tension springs	
	Color: RAL 9010 Pure white Length: 1000mm Width: 200mm	
	53371 - Plug-in cover 162 FnW	
	made of galvanized steel sheet 1mm including 4 pcs. tension springs Color: at choice	
	Length: 1000mm Width: 200mm	
	54306 - Clamping spring Niro BRK	
$\checkmark$	to plug lid	
	53441 - End wall ws BRK 4670/200x115	
	made of galvanized sheet steel 1.5mm to screw cover	
	Color: RAL 9010 Pure white	E103-976-974
	53442 - End wall FnW BRK 4670/200x115	
	made of galvanized steel sheet 1.5mm to screw cap	
	Color: at choice	LEINGA-TCATHA
	53186 - End wall ws BRK 4671/200x115	
	made of galvanized sheet steel 1.5mm to plug-in cover	
	Color: RAL 9010 Pure white	
	53209 - End wall FnW BRK 4671/200x115	
	made of galvanized steel sheet 1.5mm to screw cap	
	Color: at choice	E10-575347544
	53747 - Blind cover ws BRK ø 47mm	
	Blind cover Color: RAL 9010 Pure white	
	53764 - Blind cover ws BRK ø 64mm	
	Blind cover Color: RAL 9010 Pure white	





Parapet trunking system BRK 4670 200x115

	<b>53748 - Blind cover FnW BRK ø 47mm</b> Blind cover color: according to choice	
	53765 - Blind cover FnW BRK ø 64mm Blind cover color: according to choice	
	<b>53570 - Cable tie plate STK to AS</b> made of sheet steel 1.5mm dimension 170x60x19mm with slot nut and screw to mount on anchor rail 29x15x2mm Color: RAL 7032 pebble gray	
	<b>53671 - Cable tray 60</b> made of sendzimir galvanized steel sheet 1mm length: 670mm	
	<b>59014 - Distance compensation plate</b> pack of 100, assorted thicknesses 1, 2, 3, 5 and 10mm	
Ģ	<b>52048 - Mounting plate with NIS box and sliding block</b> for BRK 4670/200x115 suitable for plug-in cover height: 93.5mm / installation depth: 99mm	
Ģ	<b>53943 - Mounting plate with NIS box and sliding block</b> for BRK 4670/200x115 suitable for screw cap height: 91.5mm / installation depth: 97mm	
	<b>53955 - Mounting plate with NIS box and sliding block</b> for BRK 4670/182x85 suitable for resin lids, BRK 4675/200x88 suitable for screw lids, resin lids and plug-in lids. Height: 59.5mm / installation depth: 65mm	
	<b>59016 - Sound barrier Ø 30x300mm</b> Mineral fiber braids wrapped and compacted with crossed wire meshPacking unit: 15 pcs.	