




35330/2GR - Tension clamp terminal DIN35 1.5mm² gray



Tension clamp with 3 connections Marking option on the side and in the middle with strip, recessed for cross connection

Characteristics	
Eldas number	158440037
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718217531
group	165000
Packaging unit	50
country of origin	СН
Customs tariff number	8536.9080
Weight (g)	7 g
Color	gray
Technical data	
Dimensions length x width x height (mm)	58.7x5x31.2 mm
Dimensions length x width x height (inch)	2.31x0.20x1.23 inch
Cross section (mm ²)	0,2 - 1,5 mm²
Nominal current (A)	10 A





35330/2GR - Tension clamp terminal DIN35 1.5mm² gray

Rated voltage (V)	600 V
Connection type	Spring clamp
DIN rail type	DIN-35
Number of connection point	3
Number of floor	1
Number of potentials	1
Insulating material	PA66
Nominal Cross-section (mm²)	1,5 mm²
Stripping length mm (mm)	8 mm
Rating data according to UL 1059	
Rated voltage US (V)	300 V
Nominal cross section (AWG)	16 AWG
Cross-section (AWG)	16 - 26 AWG
Stripping length (inch)	0,32 inch





35330/2GR - Tension clamp terminal DIN35 1.5mm² gray

Product accessories

Bezeichnungskarte_5x9mm - Designation card 5x9mm Various designation plates with different embossing.
35455/09BS - Marking strip 9x240mm with 25strips per box
35455/59T - Marking adaptor for label 5x9mm null
35331/2 - Partition and end barrier 59x36mm grey, to spring clamp terminals with 3 clamps
35445 - End retainer for Spring clamp terminal DIN35 of polyamide 66, greydimensions: 8x45.2x23.5mm to spring clamp terminals 1.5 to 16mm 2
35425/05 - Center jumper cover grey Cross-connection rake insulated, gray, to tension spring terminals 5mm
35425/05BR - Bridge to cross-junction rack grey Bridge insulated, suitable for 3542505 to connect 2 connecting rakes. 33.2x6x10.4 mm
35435/302 - Cable entrance to 0.2mm2 conductors funnel-shaped, to spring clamp terminals 1.5 and 2.5mm 2Stripes of 10 pieces, separable
35435/305 - Cable entrance to 0.5mm2 conductors funnel-shaped, to spring clamp terminals 1.5 and 2.5mm 2Stripes of 10 pieces, separable
35435/310 - Cable entrance to 1mm2 conductors funnel-shaped, to spring clamp terminals 1.5 and 2.5mm 2Stripes of 10 pieces, separable





35330/2GR - Tension clamp terminal DIN35 1.5mm² gray

Product systems



Tension clamp terminals with three connections DIN 35

Various tension spring terminals with three connections.

