



Product data sheet

9051 - Junction box flat cable Technofil flat



Junction box flat cable to Technofil flat for outlets with insulated wires

Characteristics	
Eldas number	150705037
Base Unit	Piece
availability	Delivery according to agreement
EAN Code	7611718202889
group	170000
Packaging unit	10
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	53,6 g
Color	black
Technical data	
Box Type	Junction boxes
Fire load (KWh)	0,27 kWh
Dimensions length x width x height (mm)	65x38x20 mm
Dimensions length x width x height (inch)	2,56x1,5x0,79 inch



Product data sheet

9051 - Junction box flat cable Technofil flat

Degree of protection	IP20
Metal parts	Corrosion protected
Flat cable contacting type	Piercing contact (screw)
Number of poles	5 pole
Contacting type	Screw terminal
Connection conductor (mm²)	1,5 mm²
Rated current heavy current part (A)	17.5(1.5mm²) A
Rated voltage heavy current part (V)	500 V
Operating Temperature (°C)	-15 to 85 °C
Installation temperature min. (°C)	5 °C
Plastic parts	Halogen-free
Material slider/bottom part	Polyamide, black
Material housing	Polyamide , black
Material hood	Polyamide, black
Number Screwdriver Pointed screws Heavy current part	1
Operating torque of pointed screws for heavy current section (Nm)	0,7 Nm
Number Screwdriver Clamping screws Heavy current part	1
Tightening torque for clamping screw (Nm)	0,7 Nm



Product data sheet

9051 - Junction box flat cable Technofil flat

Product accessories



Product data sheet

9051 - Junction box flat cable Technofil flat

Product systems



Flat cable system Technofil 5G2.5 mm²

Maximum flexibility for complex requirements. Discover our system with a variety of junction boxes to combine consumer lines according to your individual needs.

