



59014 - Distance compensation plate



pack of 100, assorted thicknesses 1, 2, 3, 5 and 10mm

Characteristics	
Base Unit	Piece
availability	Delivery according to agreement
group	284000
country of origin	СН
Customs tariff number	7308.9000
Weight (g)	405 g





59014 - Distance compensation plate

**Product accessories** 





59014 - Distance compensation plate

#### **Product systems**



#### Riser channel system 4672 200x58

Riser channel 4672 200x58mm.





#### Parapet trunking system BRK 4675 140x90

Parapet channel 4675 140x90 mm. Often used for the development of MVE 4675.





#### Parapet trunking system BRK 4675 250x90

Media channel BRK 4675 250x90 mm





# **\*** • •

#### Parapet trunking system BRK 4671 140x79

Parapet trunking 4671 140x79mm - With DIN 35 rail - Made of galvanized sheet steel. Openings at the front






#### Parapet trunking system BRK 4183 182x97

Parapet trunking 4183 182x97 mm with DIN 35 rail - Made of galvanized sheet steel. Openings at the bottom.





#### Parapet trunking system BRK 4183 200x115

Parapet trunking 4183 200x115 mm with DIN 35 rail - Made of galvanized sheet steel. Openings at the bottom.





## Parapet trunking system BRK 4671 182x79

Parapet trunking 4671 182x79 mm - With DIN 35 rail - Made of galvanized sheet steel. Openings at the front







59014 - Distance compensation plate



#### Parapet trunking system BRK 4670 182x85

Parapet channel 4670 182x85 mm - With stable anchor rail C30 for fastening with slot nut. - Made of galvanized sheet steel. Openings at the front.





#### Parapet trunking system BRK 4670 200x115

Parapet channel 4670 200x115 mm. With stable anchor rail C30 for fastening with slot nut. - Made of galvanized sheet steel. Openings at the front.





#### Parapet trunking system BRK 4675 180x90

Parapet trunking system BRK 4675 180x90 - with combination rail - made of aluminum profile - front opening





#### Parapet channel BRK 4675 200x90

Parapet channel 4675 200x90 mm. Often used for the development of MVE 4675.

