



Product data sheet

49385 - Riser clamp



Max. Bride load: 50kg. For flat cable: Woertz data 2x1.5 mm², Woertz multibus 4x1.5 mm², Woertz 3G2.5 and 4 mm²

Characteristics	
Eldas number	120011007
Base Unit	Piece
availability	available from stock
EAN Code	7611718272158
group	171000
Packaging unit	10
country of origin	CH
Customs tariff number	732690
Weight (g)	53 g
Technical data	
Dimensions length x width x height (mm)	71x30x42.7 mm
Material	Aluminum



Product data sheet

49385 - Riser clamp

Product accessories



Product data sheet

49385 - Riser clamp

Product systems



Flat cable system Data 2x1.5 mm²

Compact networking for intelligent building automation. Perfect for KNX, Dali, SMI, LON and more. Space-saving design.



Flat cable system 3G2.5 mm² and 3G4 mm²

Effortless installation. Limitless flexibility. Discover the versatile system for workshops, commercial spaces and laboratories.



Flat cable system Multibus 4x1.5 mm²

Smart solutions for building control. Ideal for extra-low voltage, heating, ventilation, air conditioning and Belimo MP-Bus. Meets SMI LoVo requirements. Optimize your building technology!



Cable clamps and accessories

Various flat cable clamps and clamps for fastening.



Flat cable system IP 3G2.5 mm² and 3G4 mm² (IP66/68)

This system is used in tunnelling, civil engineering, industrial plants, workshops and joineries, as well as outdoors for events and open airs, due to its high IP protection level and extraordinary flexibility in terms of changeability and expandability.

