




Product data sheet

4383RZ/6M - Profile rail C30 hot-dip galvanized steel 6 m



Profile rail C30 with 32x18x3 mm made of hot-dip galvanized steel, with a length of 6 m.

Characteristics	
Eldas number	168318469
Base Unit	Meter
availability	Delivery in 4 weeks
Packaging unit	6
Customs tariff number	7216.9900
Technical data	
Dimensions length x width x height (mm)	32x18x3 mm
Material	Steel hot dipped galvanized



## Product data sheet

4383RZ/6M - Profile rail C30 hot-dip galvanized steel 6 m

### Product accessories



---

**4398 - Cable clamp for 1 cable 22-31mm**

Cable clamp black to screw on, two-piece, for 1 cable, 2 screws. Threaded bolt is M6x50.



---

**4398A - Cable clamp for 2 cables 22-31mm**

Cable clamp black to screw on, 4-piece, for 2 cables side by side, 2 screws. Threaded bolt is M6x110.

---



## Product data sheet

4383RZ/6M - Profile rail C30 hot-dip galvanized steel 6 m

### Product systems

---



#### Profile rails C20 and C30

Various profile rails C20/C30 made of aluminum and steel VA2, against calculation of a cutting surcharge the profile rails can be delivered in any desired length. For embedding in concrete, the profile rails are available, also against calculation, with fixing holes or with slings.

