




















System overview

Quick installer aluminum alloy for profile rail type C30



Aluminum alloy quick lay for profile rails type C30.

Components

	<p>80291/2M - Combination rail DIN35/C30 of aluminum 2 m</p> <p>Combination rail Extrudal-050 DIN35/C30, with 35x15x1 mm made of aluminum alloy, with a 85 mm² copper cross-section, 2 m length.</p>	
	<p>4353 - Cable fixing bracket C30 20-25mm</p> <p>Aluminum alloy quick lay, hardenedWithout cable support</p>	
	<p>4354 - Cable fixing bracket C30 25-32mm</p> <p>Aluminum alloy quick lay, hardenedWithout cable support</p>	
	<p>4355 - Cable fixing bracket C30 32-40mm</p> <p>Aluminum alloy quick lay, hardenedWithout cable support</p>	
	<p>4356 - Cable fixing bracket C30 40-48mm</p> <p>Aluminum alloy quick lay, hardenedWithout cable support</p>	
	<p>4341 - Cable support C30 12-16mm to quick installer</p> <p>Cable support C30 12-16mm for quick laying C30 12-16mm made of aluminum alloy, hardened</p>	
	<p>4350 - Cable fixing bracket C30 8-12mm</p> <p>Aluminum alloy quick lay, hardenedWithout cable support</p>	
	<p>4342 - Baseplate C30 16-20mm</p> <p>Cable support C30 16-20mm for quick laying 4352 made of aluminum alloy, hardened</p>	



System overview














Quick installer aluminum alloy for profile rail type C30

	4351 - Cable fixing bracket C30 12-16mm Aluminum alloy quick lay, hardened Without cable support	
	4352 - Cable fixing bracket C30 16-20mm Aluminum alloy quick lay, hardened Without cable support	
	4357 - Cable fixing bracket C30 48-56mm Aluminum alloy quick lay, hardened Without cable support	
	4357/1 - Cable fixing bracket C30 56-64mm Aluminum alloy quick lay, hardened Without cable support	
	4357/2 - Cable fixing bracket C30 64-70mm Aluminum alloy quick lay, hardened Without cable support	
	4358 - Cable fixing bracket C30 70-80mm Aluminum alloy quick lay, hardened Without cable support	
	4359 - Quick installer C30 80-90mm Quick-laid aluminum alloy, hardened Without cable support	
	4340 - Baseplate C30 8-12mm of hardened aluminium alloy	
	4343 - Baseplate C30 20-25mm of hardened aluminium alloy	
	4344 - Baseplate C30 25-32mm of hardened aluminium alloy	
	4345 - Baseplate C30 32-40mm of hardened aluminium alloy	
	4346 - Baseplate C30 40-48mm of hardened aluminium alloy	



System overview

Quick installer aluminum alloy for profile rail type C30

	4347 - Baseplate C30 48-56mm of hardened aluminium alloy	
	4347/1 - Baseplate C30 56-64mm of hardened aluminium alloy	
	4347/2 - Baseplate C30 64-70mm of hardened aluminium alloy	
	4348 - Cable pads C30 70-80mm made of aluminum alloy, hardened	
	4382A/3M - Aluminum alloy profile rail C30 3 m Profile rail C30 with 29x15x2 mm made of aluminum alloy, with a length of 3 m.	
	4382RZ/3M - Profile rail C30 hot galvanized steel 3 m Profile rail C30 with 29x15x2 mm made of hot-dip galvanized steel, with a length of 3 m.	
	4382R/3M - Profile rail C30 bare steel 3 m Profile rail C30 with 29x15x2 mm made of bright steel, with a length of 3 m.	