



Product data sheet

5334 - Screwless terminal 1.5mm² 2pole



Quick-connect terminal for manual and mold actuation

Characteristics	
Eldas number	157803217
Base Unit	Piece
availability	Delivery in 4 weeks
EAN Code	7611718208119
group	165000
Packaging unit	50
country of origin	CH
Customs tariff number	8536.9080
Weight (g)	22 g
Color	black
Technical data	
Dimensions length x width x height (mm)	27x20x26 mm
Dimensions length x width x height (inch)	1.06x0.79x1.02 inch
Cross section (mm ²)	1,5 mm ²
Nominal current (A)	10 A



Product data sheet

5334 - Screwless terminal 1.5mm2 2pole

Rated voltage (V)	250 V
Connection type	Special clamp
Number of connection point	2
Number of floor	1
Number of potentials	1
Insulating material	PA66
Nominal Cross-section (mm²)	1,5 mm²
Stripping length mm (mm)	10 mm
Head reception room width x height (mm)	2,8 mm

Rating data according to UL 1059

Rated voltage US (V)	300 V
Nominal cross section (AWG)	16 AWG
Cross-section (AWG)	16 - 16 AWG
Stripping length (inch)	0,39 inch



Product data sheet

5334 - Screwless terminal 1.5mm² 2pole

Product accessories



Product data sheet

5334 - Screwless terminal 1.5mm² 2pole

Product systems



Quick connection terminals with spring pressure

1- 2 pole, both sides - manual override - tool operable

