

















## System overview

Plug and connecting cable from C1 3P



















### Components

	<p><b>49343/1M/C1 - Pre-wired connection C1-M 3G1.5 1m HF</b></p> <p>Pre-wired connector, plug 3-poles code 1 with 1 m cable 3G1.5 mm<sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/1M25/C1 - Pre-wired connection C1-M 3G2.5 1m HF</b></p> <p>Pre-wired connector, plug 3-poles code 1 with 1 m cable 3G1.5 mm<sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/1MF/C1 - Pre-wired connection C1-M+F 3G1.5 1m HF</b></p> <p>Pre-wired connector, plug and socket 3-poles code 1 with 1 m cable 3G1.5 mm<sup>2</sup>, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/1MF25/C1 - Pre-wired connection C1-M+F 3G2.5 1m HF</b></p> <p>Pre-wired connector, plug and socket 3-poles code 1 with 1 m cable 3G1.5 mm<sup>2</sup>, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/2M/C1 - Pre-wired connection C1-M 3G1.5 2m HF</b></p> <p>Pre-wired connector, plug 3-poles code 1 with 2 m cable 3G1.5 mm<sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/2M25/C1 - Pre-wired connection C1-M 3G2.5 2m HF</b></p> <p>Pre-wired connector, plug 3-poles code 1 with 2 m cable 3G1.5 mm<sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/2MF/C1 - Pre-wired connection C1-M+F 3G1.5 2m HF</b></p> <p>Pre-wired connector, plug and socket 3-poles code 1 with 2 m cable 3G1.5 mm<sup>2</sup>, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	



## System overview



















### Plug and connecting cable from C1 3P

	<b>49343/2MF25/C1 - Pre-wired connection C1-M+F 3G2.5 2m HF</b> Pre-wired connector, plug and socket 3-poles code 1 with 2 m cable 3G1.5 mm <sup>2</sup> , 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/3M/C1 - Pre-wired connection C1-M 3G1.5 3m HF</b> Pre-wired connector, plug 3-poles code 1 with 3 m cable 3G1.5 mm <sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/3M25/C1 - Pre-wired connection C1-M 3G2.5 3m HF</b> Pre-wired connector, plug 3-poles code 1 with 3 m cable 3G1.5 mm <sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/3MF/C1 - Pre-wired connection C1-M+F 3G1.5 3m HF</b> Pre-wired connector, plug and socket 3-poles code 1 with 3 m cable 3G1.5 mm <sup>2</sup> , 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/3MF25/C1 - Pre-wired connection C1-M+F 3G2.5 3m HF</b> Pre-wired connector, plug and socket 3-poles code 1 with 3 m cable 3G1.5 mm <sup>2</sup> , 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/4MF25/C1 - Pre-wired connection C1-M+F 3G2.5 4m HF</b> Pre-wired connector, plug and socket 3-poles code 1 with 4 m cable 3G1.5 mm <sup>2</sup> , 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/4M/C1 - Pre-wired connection C1-M 3G1.5 4m HF</b> Pre-wired connector, plug 3-poles code 1 with 4 m cable 3G1.5 mm <sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/4M25/C1 - Pre-wired connection C1-M 3G2.5 4m HF</b> Pre-wired connector, plug 3-poles code 1 with 4 m cable 3G1.5 mm <sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/4MF/C1 - Pre-wired connection C1-M+F 3G1.5 4m HF</b> Pre-wired connector, plug and socket 3-poles code 1 with 4 m cable 3G1.5 mm <sup>2</sup> , 16 A, 250 V, halogen free, behaviour to fire classification Cca	



## System overview




### Plug and connecting cable from C1 3P

	<b>49343/5M/C1 - Pre-wired connection C1-M 3G1.5 5m HF</b> Pre-wired connector, plug 3-poles code 1 with 5 m cable 3G1.5 mm <sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/5M25/C1 - Pre-wired connection C1-M 3G2.5 5m HF</b> Pre-wired connector, plug 3-poles code 1 with 5 m cable 3G2.5 mm <sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/5MF/C1 - Pre-wired connection C1-M+F 3G1.5 5m HF</b> Pre-wired connector, plug and socket 3-poles code 1 with 5 m cable 3G1.5 mm <sup>2</sup> , 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/5MF25/C1 - Pre-wired connection C1-M+F 3G2.5 5m HF</b> Pre-wired connector, plug and socket 3-poles code 1 with 5 m cable 3G2.5 mm <sup>2</sup> , 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/6M/C1 - Pre-wired connection C1-M 3G1.5 6m HF</b> Pre-wired connector, plug 3-poles code 1 with 6 m cable 3G1.5 mm <sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/6M25/C1 - Pre-wired connection C1-M 3G2.5 6m HF</b> Pre-wired connector, plug 3-poles code 1 with 6 m cable 3G2.5 mm <sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/6MF/C1 - Pre-wired connection C1-M+F 3G1.5 6m HF</b> Pre-wired connector, plug and socket 3-poles code 1 with 6 m cable 3G1.5 mm <sup>2</sup> , 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/6MF25/C1 - Pre-wired connection C1-M+F 3G2.5 6m HF</b> Pre-wired connector, plug and socket 3-poles code 1 with 6 m cable 3G2.5 mm <sup>2</sup> , 16 A, 250 V, halogen free, behaviour to fire classification Cca	
	<b>49343/8M/C1 - Pre-wired connection C1-M 3G1.5 8m HF</b> Pre-wired connector, plug 3-poles code 1 with 8 m cable 3G1.5 mm <sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca	



## System overview

### Plug and connecting cable from C1 3P

	<p><b>49343/8M25/C1 - Pre-wired connection C1-M 3G2.5 8m HF</b></p> <p>Pre-wired connector, plug 3-poles code 1 with 8 m cable 3G1.5 mm<sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/8MF/C1 - Pre-wired connection C1-M+F 3G1.5 8m HF</b></p> <p>Pre-wired connector, plug and socket 3-poles code 1 with 8 m cable 3G1.5 mm<sup>2</sup>, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/8MF25/C1 - Pre-wired connection C1-M+F 3G2.5 8m HF</b></p> <p>Pre-wired connector, plug and socket 3-poles code 1 with 8 m cable 3G1.5 mm<sup>2</sup>, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/10M/C1 - Pre-wired connection C1-M 3G1.5 10m HF</b></p> <p>Pre-wired connector, plug 3-poles code 1 with 10 m cable 3G1.5 mm<sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/10M25/C1 - Pre-wired connection C1-M 3G2.5 10m HF</b></p> <p>Pre-wired connector, plug 3-poles code 1 with 10 m cable 3G1.5 mm<sup>2</sup> with free end, conductor compressed, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/10MF/C1 - Pre-wired connection C1-M+F 3G1.5 10m HF</b></p> <p>Pre-wired connector, plug and socket 3-poles code 1 with 10 m cable 3G1.5 mm<sup>2</sup>, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	
	<p><b>49343/10MF25/C1 - Pre-wired connection C1-M+F 3G2.5 10m HF</b></p> <p>Pre-wired connector, plug and socket 3-poles code 1 with 10 m cable 3G1.5 mm<sup>2</sup>, 16 A, 250 V, halogen free, behaviour to fire classification Cca</p>	