



Product data sheet

49387 E90 - Riser clamp E90



Max. Bride load: 50kg. For Woertz fire safety flat cable: Woertz FE180 5G16mm² and 5G25mm². For Woertz flat cable: Woertz power 5G16mm² and 5G25mm².

Characteristics	
Eldas number	120015007
Base Unit	Piece
availability	Delivery in 4 weeks
EAN Code	7611718272172
group	171000
Packaging unit	10
country of origin	CH
Customs tariff number	7326.9023
Weight (g)	107 g
Technical data	
Dimensions length x width x height (mm)	101.5x38x48 mm
Material	Stainless steel ceramic



Product data sheet

49387 E90 - Riser clamp E90

Product accessories



Product data sheet

49387 E90 - Riser clamp E90

Product systems



Cable clamps and accessories

Various flat cable clamps and clamps for fastening.



Flat cable system Power 5G25 mm² (IP65)

Ideal for construction temporary buildings, offices, tunnels, halls, trade fairs and e-mobility. Robust, weatherproof and powerful - perfect for temporary or permanent power supply.



Flat cable system Power 5G25 mm² (IP65)



Flat cable system Power 5G25 mm² (IP65)



Flat cable system Power 5G10 mm²

This system is used in hospitals, shopping malls, data centers, for hall lighting, hotels and catering Stetten.



Flat cable system Power 5G16 mm² (IP65)

Robust, weatherproof and powerful - a flexible power supply solution for construction temporary buildings, offices, tunnels, ships, halls, trade fairs and e-mobility.



Flat cable system Power 5G16 mm² (IP65)





Product data sheet

49387 E90 - Riser clamp E90



Flat cable system Power 5G16 mm² (IP65)



Flat cable system Power IP 5G10 mm² (IP65)



Secure reliable power supply for tunneling, civil engineering, industrial plants, workshops and joineries with our high quality flat cable system - perfectly protected by IP-65.



FE180 E30/E90 5G16 mm²



Woertz fire safety system FE180 E30/E90 5G16 mm² for power supply of safety-relevant elements, such as emergency and escape route lighting, smoke extraction systems or fire department elevators.