




















System overview

Combination trunking system KOK 180x90 as base trunking



Combination trunking KOK 180x90 mm as base trunking. With suspension cover.



















Components

	<p>59471 - Channel shell FnW KOK 180x90</p> <p>made of sendzimir-galvanized steel sheet 1.5mm with DIN-35 rail with 4xFLF 3/5 and 1xFLF 6/5 pre-punching per meter in the channel tray bottom including connecting material and ground wire color: at choice length: 2000mm</p>	
	<p>53600 - Connecting bride straight</p> <p>for connecting the channel shells</p>	
	<p>53512 - Connector straight for DIN rail</p> <p>for connecting the channel shell for DIN-35 rail</p>	
	<p>53602 - Connecting clamp IG 90° with 6-kt-Schr.</p> <p>for connecting with 90° inside miter of the channel shells</p>	
	<p>53539 - Connector IG 90° for DIN rail</p> <p>for connecting the channel shell for DIN-35 rail with 90° inside miter</p>	
	<p>53601 - Connecting clamp AG 90° with 6-kt-Schr.</p> <p>for connecting with external miter 90° of the channel shells</p>	
	<p>53538 - Connector AG 90° for DIN rail</p> <p>for connecting the channel shell for DIN-35 rail with external miter 90°</p>	
	<p>53604 - Connecting clamp IG 135° with 6-kt-Schr.</p> <p>for connecting with internal miter 135° of the channel shells</p>	



System overview




Combination trunking system KOK 180x90 as base trunking

	53541 - Connector IG 135° for DIN rail for connecting the channel shell for DIN-35 rail with inside miter 135°	
	53603 - Connecting clamp AG 135° with 6-kt-Schr. for connecting with external miter 135° of the channel shells	
	53540 - Connector AG 135° for DIN rail for connecting the channel shell for DIN-35 rail with external miter 135°	
	59492 - Hanging lid chamfer white KOK 180x90 SOK Suspension cover chamfer white KOK 180x90 SOK. Use as a plinth channel made of galvanized sheet steel Color: RAL 9010 Pure white Length: 1000mm	
	59493 - 0 Use as a plinth channel made of galvanized steel sheet 1.5mm Color: at choice Length: 1000mm	
	59498 - Hanging lid Radius white KOK 180x90 SOK Suspension cover Radius white KOK 180x90 SOK. Use as a plinth channel made of galvanized sheet steel Color: RAL 9010 Pure white Length: 1000mm	
	59499 - Suspension cover Radius FnW KOK 180x90 SOK Use as a plinth channel made of galvanized sheet steel Color of your choice Length: 1000mm	
	59526 - Hanging lid edge white KOK 180x90 SOK Suspension cover edge white KOK 180x90 SOK. Use as a plinth channel made of galvanized sheet steel Color: RAL 9010 Pure white Length: 1000mm	
	59527 - Hanging lid edge color choice KOK 180x90 SOK Use as a plinth channel made of galvanized steel sheet 1.5mm Color: at choice Length: 1000mm	



System overview

















Combination trunking system KOK 180x90 as base trunking

	59479 - End wall I chamfer FnW KOK 180x90 Finish left galvanized steel sheet 1.5mm Color: at choice	
	59480 - End wall r chamfer ws KOK 180x90 Version right galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	59481 - End wall r chamfer FnW KOK 180x90 Finish right galvanized steel sheet 1.5mm Color: at choice	
	59488 - End wall I radius ws KOK 180x90 Version left galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	59489 - End wall I Radius FnW KOK 180x90 Finish left galvanized steel sheet 1.5mm Color: at choice	
	59490 - End wall r radius ws KOK 180x90 Version right galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	59491 - End wall r radius FnW KOK 180x90 Finish right galvanized steel sheet 1.5mm Color: at choice	
	59548 - 0 Version left galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	
	59549 - End wall left edge color choice KOK 180x90 End wall version left to combi trunking KOK 180x90 made of galvanized sheet steel 1.5mm Color: at choice	
	59550 - 0 Version right galvanized sheet steel 1.5mm Color: RAL 9010 Pure white	



System overview

















Combination trunking system KOK 180x90 as base trunking

	59551 - End wall r edge FnW KOK 180x90 Finish right galvanized steel sheet 1.5mm Color: at choice	
	59496 - Corner piece 90° outside chamfer white KOK 180x90 SOK Corner piece 90° chamfer, white, outside use as a plinth channel made of galvanized sheet steel 1.5mm. Color: RAL 9010 Pure white Leg length: à 300mm	
	59497 - 0 90° outside use as a plinth channel of galvanized sheet steel 1.5mm Color: at choice Length of leg: à 300mm	
	59494 - 0 90° inside use as a plinth channel made of galvanized sheet steel 1.5mm Color: RAL 9010 Pure white Leg length: à 300mm	
	59495 - 0 90° inside use as a plinth channel of galvanized sheet steel 1.5mm Color: at choice Length of leg: à 300mm	
	59576 - Corner piece 90° asn radius ws KOK 180x90 SOK 90° outside use as a plinth channel made of galvanized sheet steel 1.5mm Color: RAL 9010 Pure white Leg length: à 300mm	
	59577 - Corner piece 90° asn radius FnW KOK 180x90 SOK 90° outside use as a plinth channel of galvanized sheet steel 1.5mm Color: at choice Length of leg: à 300mm	
	59574 - Corner piece 90° inn radius ws KOK 180x90 SOK 90° inside use as a plinth channel made of galvanized sheet steel 1.5mm Color: RAL 9010 Pure white Leg length: à 300mm	



System overview










Combination trunking system KOK 180x90 as base trunking

	<p>59575 - Corner piece 90° inn Radius FnW KOK 180x90 SOK</p> <p>90° inside use as a plinth channel of galvanized sheet steel 1.5mm Color: at choice Length of leg: à 300mm</p>	
	<p>59586 - Corner piece 90° outside edge white KOK 180x90 SOK</p> <p>Corner piece 90° edge white, outside use as a plinth channel made of galvanized sheet steel 1.5mm. Color: RAL 9010 Pure white Leg length: à 300mm</p>	
	<p>59587 - Corner piece 90° asn edge FnW KOK 180x90 SOK</p> <p>90° outsideUse as a plinth channel made of galvanized steel sheet 1.5mm Color: at choice Length of leg: à 300mm</p>	
	<p>59584 - Corner piece 90° inn edge ws KOK 180x90 SOK</p> <p>90° inside use as a plinth channel made of galvanized sheet steel 1.5mm Color: RAL 9010 Pure white Leg length: à 300mm</p>	
	<p>59585 - Corner piece 90° inn edge FnW KOK 180x90 SOK</p> <p>90° inside use as a plinth channel of galvanized sheet steel 1.5mm Color: at choice Length of leg: à 300mm</p>	
	<p>57191 - Installation kit DS 2FLF 3/5 empty</p> <p>made of sendzimir-galvanized sheet steel 1.5mm to snap onto DIN-35 rail Color: raw</p>	
	<p>57184 - Installation kit DS 1FLF 6/5 2FLF 3/5 empty</p> <p>made of senzimir galvanized steel sheet 1.5mm to snap onto DIN 35 rail Color: raw</p>	
	<p>57183 - Installation kit DS 1FLF 6/5 empty</p> <p>made of galvanized sheet steel 1.5mm to snap on DIN35 rail Color: RAL 7032 pebble gray</p>	



System overview

Combination trunking system KOK 180x90 as base trunking

	<p>57187 - Installation kit DS 1FLF 3/5 empty</p> <p>made of galvanized sheet steel 1.5mm to snap on DIN35 rail color: RAL 7032 pebble gray</p>	
	<p>57192 - Installation kit DS Sts 2x1-2LM empty</p> <p>made of sendzimir galvanized sheet steel for socket alignment in longitudinal direction snaps onto DIN35 rail for the use of two sockets Legrand Mosaic 45x45</p>	
	<p>57190 - Installation kit DS Scs 2x1-2LM empty</p> <p>made of sendzimir-galvanized sheet steel for socket alignment in longitudinal direction snaps onto DIN35 rail for the use of two sockets Legrand Mosaic 45x45 low-current version</p>	
	<p>53671 - Cable tray 60</p> <p>made of sendzimir galvanized steel sheet 1mm length: 670mm</p>	
	<p>51210 - Cable tray PVC to DIN35 rail</p> <p>Hard PVC 2mm Color: gray Length: 1850mm</p>	